



SAF-HOLLAND Group

HOLLAND TLV SERIES

LEVEL RIDE
FOLD-AWAY™
LIFTGATES



2750 LB. CAPACITY
FOR TRUCK APPLICATIONS



SAF-HOLLAND Group

TLV SERIES

FOLD-AWAY™

A PREMIUM PRODUCT...
NOT A PREMIUM PRICE

SINGLE CYLINDER MODEL
2,750 LB. CAPACITY

**LEVEL RIDE PLATFORM/
TILTS AT GROUND**

POWER UP/GRAVITY DOWN
OPTIONAL POWER UP/POWER DOWN

(Gravity down liftgates are not recommended for operation in extreme cold.)

TRUCK APPLICATIONS

- Fully enclosed and protected pump motor
- Overload protected charge line
- Grease zerks at all major pivot points
- 1/4" x 12" reinforced tread plate deck extension
- Fully sealed and potted curbside control station
- Torsion assisted folding
- Roller arm assisted opening
- Recessed platform hinges
 - Eliminate trip hazards
 - Allow side loading/unloading of platform




THE HOLLAND TLV SERIES LIFTGATE PROVIDES THE NECESSARY PREMIUM FEATURES AT AN AFFORDABLE PRICE.

**SAF-HOLLAND LIFTGATE 2-YEAR
PARTS AND LABOR WARRANTY
(2-YEAR STRUCTURAL & 18-MONTH
ELECTRONICS AND HYDRAULICS)**

See warranty specifications for complete details.



LEVEL RIDE PLATFORM / TILTS AT GROUND



The TLV Fold-Away liftgate platform provides a level ride when in the raising and lowering mode. The platform tilts when it makes contact with the ground to provide an easy transition on and off the platform surface.

ROLLER TYPE PLATFORM OPENER

to assist with easier unfolding of platform.

REINFORCED DECK EXTENSION

stands up to dock impacts and rolling loads.

DUAL TORSION SPRINGS

to assist folding.

GREASE ZERKS

at all major pivot points.

TAIL LIGHT OPTIONS

Weld-on or bolt-on post mounted light boxes with LED or incandescent lights.


ADDITIONAL OPTIONS

- 2", 3" or 5" step bumpers
- Power Up/Power Down
- Cab shut-off switch

FOUR STEEL RECESSED PLATFORM HINGES

provide smooth and consistent open and close performance.

MOUNTING DIMENSIONS



WEDGE STYLE PLATFORM

Plate steel construction for maximum durability.

TLV SERIES LIFTGATE SPECIFICATIONS

Model	Lifting Capacity	Platform Dimensions	Bed Height Range	Mounting Clearance	Shipping Weight
TLV-2748	2,750 lbs.	48" Deep x 80" Wide	38" Minimum 51" Maximum	39" to 45" from Rear of Deck Extension	750 lbs.



From fifth wheel rebuild kits to suspension bushing repair kits, SAF-HOLLAND Original Parts are the same quality components used in the original component assembly. SAF-HOLLAND Original Parts are tested and designed to provide maximum performance and durability. Will-fits, look-alikes or, worse yet, counterfeit parts will only limit the performance potential and could possibly void SAF-HOLLAND's warranty.

Always be sure to spec SAF-HOLLAND Original Parts when servicing your SAF-HOLLAND product.

XL-TG10118SL-en-US Rev C · 2012-01-06 · Amendments and Errors Reserved © SAF-HOLLAND, Inc.

HIGH QUALITY COMPONENTS FOR THE COMMERCIAL VEHICLE INDUSTRY



EUROPE · NORTH AMERICA · SOUTH AMERICA · AFRICA · ASIA · AUSTRALIA

SAF-HOLLAND USA, Inc.
888.396.6501 Fax 800.356.3929

SAF-HOLLAND Canada Limited
519.537.3494 Fax 800.565.7753
Western Canada 604.574.7491 Fax 604.574.0244

www.safholland.com

