





SAF-HOLLAND Group



CONSISTENT AND PROPER LUBRICATION OF YOUR HOLLAND FIFTH WHEEL



# REDUCE COSTS AND MAXIMISE EFFICIENCY

## **LUBRICATION SYSTEMS FOR HOLLAND FIFTH WHEELS**

The Interlube lubrication system is compact, easy to operate and virtually maintenance free except for reservoir refill. The multi-line concept enables each bearing to be lubricated independently. The lubrication system is fully adjustable and will deliver precise lubrication at pre determined times.



### **Industry Applications:**

Truck, trailer, buses, dump trucks, forklifts, other commercial vehicles, heavy and light-duty agricultural applications.

#### **SYSTEM BENEFITS**

- The Multi-line concept allows each friction point to be lubricated independently with small regular amounts of grease automatically.
- Reduces downtime and service time.
- Gives the owner/operator peace of mind that the vehicle is being lubricated whilst in operation.
- Prevents manual lubrication and health and safety issues.
- Automatic lubrication systems increase the perceived value of the vehicle.

### ELECTRICALLY OPERATED MULTI-LINE LUBRICATION SYSTEMS.

- Electrically operated 12/24 volts DC
- Multi position timer with memory (Fully adjustable timer)
- Six colour coded pumping units available with outputs from 0.01 cc to 0.1cc
- Manual override facility as standard on all models.
- Suitable for use with standard GP2 variable type grease.



PUMP PART	SPECIFICATIONS			
Reservoir size	3 Litre or 6 Litre			
Motor Speed	0.9 RPM			
Power Supply	12v or 24v DC			
Amps	Maximum 2 amps			
Max Outlets	36			
Operating Temp	Minus 35°C Min ambient temp Max 66°C			
IP Rating	IP67			
Lubricants	Greases up to NLGI2 oils of at least SAE80 grade			



# LUBRICATION SYSTEM KITS FOR HOLLAND FIFTH WHEELS

## **APPLICATIONS**

TRAILER APPLICATION	SAF AUTO		
	LUBE SYSTEM		
	APPLICABLE		
SINGLE TRAILER			
TAUGHTLINER			
B-DOUBLE TAUGHTLINER			
FLAT TOP			
REFRIGERATION			
TIPPER			
STOCK-CRATE	<b>~</b>		
LOGGING			
LOW LOADER			
DRY BULK TANKER NON DG			
FUEL TANKER	×		
CHEMICAL TANKER	×		
BITUMEN TANKER	×		
GAS TANKER	×		

<sup>\*</sup>Note: Non DG compliant



## HOLLAND FIFTH WHEEL KIT CHART

	PUMP TO FIFTH WHEEL ASSEMBLY					BASEPLATE KITS			
5TH WHEEL	Single	Double	Kompensator	Part Number	Single	Double	Kompensator	TOP PLATE KITS	
	Ballrace	Ballrace			Ballrace	Ballrace			
	х			SLKAC309-33					
FW331			Х	SLKAC313-33				SLKD331-3	
	х		х	SLKAC319-33			SLKC-10		
	х			SLKAC308-35	SLKB1-6	SLKB2-12		SLKD351-2	
FW351			Х	SLKAC312-35					
FWSSI	х		Х	SLKAC318-35					
		Х	Х	SLKAC324-35					
	х			SLKAC310-70					
FW70			Х	SLKAC314-70				SLKD70-4	
		Х		SLKAC316-70					
	х		Х	SLKAC320-70					

# **ADDITIONAL LUBE KITS**

MODEL	PART NUMBER	DESCRIPTION			
12 PT	GLK12P3	Pump (3Kg), Bracket and Prolube line to suit 12 lube points			
24 PT	GLK24P3	Pump (3Kg), Bracket and Prolube line to suit 24 lube points			
36 PT	GLK36P3	Pump (3Kg), Bracket and Prolube line to suit 36 lube points			





SAF-HOLLAND is a leading supplier of highly efficient components, systems and service programs in the global commercial vehicle industry. Our three core product brands are recognized for delivering innovative solutions that optimize fleet operations in every corner of the world.







TRAILER AXLES AND SUSPENSION SYSTEMS

COUPLING AND LIFTING TECHNOLOGIES

SUSPENSIONS FOR TRUCKS AND BUSES

With a worldwide network of over 9,000 service partners, we serve our fleet customers with know-how and passion, and always focused on one target: Engineering your road to success. Anywhere in the world. Under any conditions. 365 days a year.

#### HIGHLY EFFICIENT COMPONENTS AND SYSTEMS FOR TRUCKS AND TRAILERS



#### EUROPE I AMERICAS I AFRICA I ASIA I MIDDLE EAST I AUSTRALIA

SAF-HOLLAND (Aust.) Pty. Ltd. · PO Box 63 · 115 High St · Melton Vic 3337

Tel: (03) 9971 7900 Fax: (03) 9743 6763

www.safholland.com.au

 Western Australia · Tel:
 (08) 9353 1720
 Fax:
 (08) 9353 1730

 Queensland · Tel:
 (07) 3375 7033
 Fax:
 (07) 3375 7044

 New South Wales · Tel:
 (02) 9672 1950
 Fax:
 (02) 9672 1994

 South Australia · Tel:
 (08) 8346 7035
 Fax:
 (08) 8346 3583

