COUPLING AND ORIGINAL PARTS CATALOGUE



FIFTH WHEELS,
PINTLE HOOKS,
DRAWBARS &
AUTOMATIC
COUPLINGS

SAF Holland
Engineering Your Road to Success

CONTENTS

SAF-HOLLAND COUPLING CATALOGUE **Page**

Fifth Wheel Application Guide....1

Standard Fifth Wheels

FW351 Fifth Wheel 2-5
G36 Fifth Wheel (+GF+ SK-S 36.20)....6-7
FW331 Low Lube Fifth Wheel (Supersedes FW342)....8-11
G36L Low Lube Fifth Wheel (+GF+ SK-S 36.20W)....12-13
Base Plate Options 26-28

Ballrace Fifth Wheels

FW351 Fifth Wheel....3-4
G36 Fifth Wheel (+GF+ SK-S 36.20) 7
FW331 Low Lube Fifth Wheel (Supersedes FW342) 9-10
G36L Low Lube Fifth Wheel (+GF+ SK-S 36.20W)....13
FW70 Heavy Duty Fifth Wheel 16-17
G38 Heavy Duty Fifth Wheel (+GF+ SK-HD 38.36)....19
FW72 Heavy Duty Low Lube Fifth Wheel 22-23
Ballrace Base Assembly Options....27-29

Heavy Duty Fifth Wheels

FW70 Heavy Duty Fifth Wheel 14-17
G38 Heavy Duty Fifth Wheel (+GF+ SK-HD 38.36)....18-19
FW72 Heavy Duty Low Lube Fifth Wheel 20-23
Base Plate Options 26-28

Lightweight Fifth Wheel

FWAL Aluminium Fifth Wheel....24

Special Application Fifth Wheels

Off Road - Heavy Duty Fifth Wheels FW1650, FW2080 & G38D (+GF+ SK-HD 38.36D) 25
Dual Height Fifth Wheels G36H & G36LH (+GF+ SK-S 36.20H)....25
Light Commercial Fifth Wheels GC6 & FW0001....25

Mounting Options

FW Series - Feet, Flat Plate, Ballrace, Kompensator & Slider....26-27
G36 & G38 Series - Flat Plate, Ripple Plate, Ballrace & Slider 28

Couplings

SAF-HOLLAND - Couplings....29
V.Orlandi - Couplings....30-31

Continued

 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

CONTENTS (CONT)

SAF-HOLLAND 2015 COUPLING CATALOGUE **Page**

Original Parts - Fifth Wheels

FW351 32-33
FW331 (Supersedes FW342) 34-35
FW342 36-37
FW3500 38-39
FW70 & FW72 40-41
G36 (+GF+ SK-S 36.20) 42-43
G36L (+GF+ SK-S 36.20W) 44-45
G36H (+GF+ SK-S 36.20H) 46-47
G38 (+GF+ SK-HD 38.36) 48-49
G38D (+GF+ SK-HD 38.36D) 50-51
FW2080 52
FW0165 53
FWAL 54
FW17 55
ILS Slider 56-57
V20 Slider 58-59
KOMPENSATOR 60-61

Original Parts - Couplings

V. Orlandi Coupling E 40 62
V. Orlandi Coupling E 516 / 520 63
V. Orlandi Coupling EH 523 64
V. Orlandi Coupling MC 511 65
V. Orlandi Coupling GA 38 66

Service Tools, Equipment & Accessories

Fifth Wheel Service Tools, Equipment & Accessories 67

Notes

Notes 68

Conditions of Sale

Conditions of Sale 69-70

 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


FIFTH WHEEL RECOMMENDATION GUIDE

	STANDARD DUTY				LIGHT WEIGHT	HEAVY DUTY					
	FW351	**G36**	**FW331** Low Lube	**G36L** Low Lube	**FWAL** Low Lube	**FW70**	**G38**	**FW72** Low Lube	**G38D** Oscillating	**FW165o** Oscillating	**FW2080** Oscillating
Single Trailer Taughtliner/ Flat Top	✓	✓	✓	✓	✓						
	Fixed heights from 140/290.										
B-Double Taughtliner/ Flat Top	✓	✓	✓	✓	✓						
	Fixed heights from 140/290.										
Refrigerated	✓	✓	✓	✓							
	Fixed or Ballrace mount available.										
Tanker	✓ Komp	✓	✓	✓							
	Double or Single Row Ballrace.										
Tipper	✓	✓	✓	✓							
	Double or Single Row Ballrace.										
Stockcrate						✓	✓	✓			
	Single, B-Double & Roadtrain. Fixed or Ballrace mount available.										
Roadtrain	✓ <165kN	✓ <200kN	✓ <165kN	✓ <200kN		✓ 50mm <240kN 90mm <270kN	✓ 90mm <270kN	✓ 50mm <240kN 90mm <270kN			
	Fixed or Ballrace mount available.										
Logging	✓		✓			✓	✓	✓	✓	✓	✓
	Double Row Ballrace mount.										
Low Loader Off Road						✓	✓	✓	✓	✓	✓
	Double Row Ballrace mount.										
Special Application	Slider assemblies, sensor, dual height, Low Lube, Aluminium, Auto lube, Air-release, roll back handle and direct mount.										

Note: These are SAF-HOLLAND recommendations for these applications, other fifth wheel solutions may me used in the same application. Please consult your local representative to discuss your specific application and alternative fifth wheel most appropriate for your needs.

 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series
  under requirements of ADR 62/01



FW351
Top Plate With Feet

FW351 - 50 mm (2")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
FW351L*	HL	143	122	190	16754
FW351T*	HT	165	128	190	16754
FW351F*	HF	190	130	190	16754
FW351A*	HA	198	131	190	16754
FW351G	HG	214	131	190	16754
FW351X	HX	232	135	190	16754

* Restricted Angle of Pitch - Base plate must have cut outs to allow for the minimum 8 degree fore & aft oscillation. Cut out dimensions available on request.

SO bolt on foot option avail. Inc. suffix ISO (eg. FW351LISO) and add 12 mm to overall height.




FW351
Fixed Mount

FW351 - 50 mm (2") Fixed Mount

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW351L2	16	1050 X 660	159	196	190	16626
FW351T2	16	1050 X 660	181	202	190	16626
FW351F2	16	1050 X 660	206	204	190	16626
FW351A2	16	1050 X 660	214	205	190	16626
FW351G2	16	1050 X 660	230	205	190	16626
FW351X2	16	1050 X 660	248	209	190	16626
FW351L3	20	1050 X 660	163	212	190	16626
FW351T3	20	1050 X 660	185	218	190	16626
FW351F3	20	1050 X 660	210	220	190	16626
FW351A3	20	1050 X 660	218	221	190	16626
FW351G3	20	1050 X 660	234	221	190	16626
FW351X3	20	1050 X 660	252	225	190	16626

SAF-HOLLAND Plates are supplied with cut outs to meet with Australian Standards.
Drilled base plates available on request.



ELI System Option

Electronic Lock Indicator
When ordering an ELI system, add 'ELI' to the top plate part no. eg FW351AELI.



Handle Options

B-Double
When ordering "B" Double configuration add 'B' to the top plate part no.
(eg FW351AB) will attract same CRN and Assembly numbers as standard models.
Note: Ears removed from top plate to minimum width 915 mm.
All weights, oscillation, Ratings as per standard 351 assembly specs.
When uncoupled release handle does not protrude past the casting width.

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series

under requirements of ADR 62/01



FW351
Single Row Ballrace

FW351 - 50 mm (2") Single Row Ballrace 16t

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW351LS4	16	1050 x 1016	231	317	190	16641
FW351TS4	16	1050 x 1016	253	319	190	16641
FW351AS4	16	1050 x 1016	286	334	190	16641
FW351LS5	20	1050 x 1016	235	343	190	16641
FW351TS5	20	1050 x 1016	257	345	190	16641
FW351AS5	20	1050 x 1016	290	360	190	16641



FW351
Heavy Duty
Double Row Ballrace

FW351 - 50 mm (2") Heavy Duty Double Row Ballrace 30t

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW351LD4	16	1050 x 1016	261	340	190	16627
FW351TD4	16	1050 x 1016	283	342	190	16627
FW351AD4	16	1050 x 1016	316	357	190	16627
FW351LD5	20	1050 x 1016	265	366	190	16627
FW351TD5	20	1050 x 1016	287	368	190	16627
FW351AD5	20	1050 x 1016	320	383	190	16627

Drilled base plates available on request.



FW351
Double Row Ballrace

FW351 - 50 mm (2") Double Row Ballrace 16t

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW351LM4	16	1050 x 1016	261	331	190	21120
FW351TM4	16	1050 x 1016	283	333	190	21120
FW351AM4	16	1050 x 1016	316	348	190	21120
FW351LM5	20	1050 x 1016	265	357	190	21120
FW351TM5	20	1050 x 1016	287	359	190	21120
FW351AM5	20	1050 x 1016	320	374	190	21120

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

FW351 STANDARD DUTY KOMPENSATOR

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW351
Fixed Mount Kompensator

FW351 - 50 mm (2") Fixed Mount Kompensator

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW351K	Wing 12	760 x 200	240	243	163	16639
FW351KP	Flat 12	1050 x 660	240	268	163	16637
FW351KP6	Flat 16	1050 x 660	244	286	163	16637
FW351KP7	Flat 20	1050 x 660	248	303	163	16637



FW351
Single Row
Ballrace Kompensator

FW351 - 50 mm (2") Single Row Ballrace Kompensator

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW351KS4	16	1050 x 1016	291	429	163	16640
FW351KS5	20	1050 x 1016	295	455	163	16640



FW351
Double Row
Ballrace Kompensator

FW351 - 50 mm (2") Double Row Ballrace Kompensator

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW351KD4	16	1050 x 1016	321	452	163	16636
FW351KD5	20	1050 x 1016	325	478	163	16636

Kompensator allows 5 degrees of oscillation either side of vertical centre line.
Centre of gravity not to exceed 1120 mm above fifth wheel top plate surface.
Drilled base plates available on request.

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

• Cast steel construction
• Tested to AS4968 series
under requirements of ADR 62/01



FW351
ILS Lightweight Slider

FW351 - 50 mm (2") ILS Lightweight Slider

Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW35112US	610	1135 x 1043	173	224	151	40062
FW35113US	915	1440 x 1043	173	238	151	40062
FW35122US	610	1135 x 1043	198	227	151	40062
FW35123US	915	1440 x 1043	198	240	151	40062
FW35132US	610	1135 x 1043	224	228	151	40062
FW35133US	915	1440 x 1043	224	242	151	40062

Suits truck frame width >850mm.
Drilled base plates available on request.



FW351
ILS Lightweight Slider

FW351 - 50 mm (2") ILS Lightweight Slider

Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW35112	610	1135 x 993	173	219	151	40062
FW35113	915	1440 x 993	173	232	151	40062
FW35122	610	1135 x 993	198	221	151	40062
FW35123	915	1440 x 993	198	235	151	40062
FW35132	610	1135 x 993	224	223	151	40062
FW35133	915	1440 x 993	224	236	151	40062

Suits truck frame width <850mm.
Drilled base plates available on request.

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(FORMERLY SK-S 36.20)

- SG Iron construction
- Compliant to the ADR requirements



G36
Top Plate with Feet

G36 - 50 mm (2")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
6621290468	128mm	128	116	200	29267
6621290478	150mm	150	120	200	29267
6621290488	185mm	185	123	200	29267
6621290318	225mm	225	121	152	29267
6621290498	250mm	250	135	200	29267

To suit truck frame width			
<850mm		>850mm	
Undrilled	Drilled 880mm	Undrilled	Drilled 952.6mm



G36
Fixed Mount Flat Plate

G36 - 50 mm (2") Fixed Mount Flat Plate

Part Number				Foot Type	Height mm	Weight kg	D Rating kN	CRN
MP690 (960 x 710mm)	MP691 (960 x 710mm)	MP686 (1060 x 710mm)	MP689 (1060 x 710mm)			(MP686 & MP689 Plate)		
662129633	662129634	662129623	662129635	128mm	144	182	200	29267
MP301 (960 x 710mm)	MP580 (960 x 710mm)	MP602 (1060 x 710mm)	MP687 (1060 x 710mm)			(MP602 & MP687 Plate)		
662129636	662129601	662129607	662129611	150mm	166	214	200	29267
662129597	662129642	662129608	662129612	185mm	201	217	200	29267
662129599	662129648	662129609	662129613	225mm	241	215	152	29267
662129598	662129596	662129610	662129614	250mm	266	229	200	29267

To suit truck frame width			
<850mm		>850mm	
Undrilled	Drilled 880mm	Undrilled	Drilled 952.6mm



G36
Fixed Mount Ripple Plate

G36 - 50 mm (2") Fixed Mount Ripple Plate

Part Number				Foot Type	Height mm	Weight kg	D Rating kN	CRN
MP060 (960 x 665mm)	MP577 (960 x 775mm)	MP078 (1060 x 665mm)	MP579 (1060 x 665mm)			(MP078 & MP579 Plate)		
662129627	662129640	662129619	662129641	150mm	190	165	200	29267
662129628	662129646	662129620	662129647	185mm	225	168	200	29267
662129629	662129652	662129621	662129653	225mm	265	166	152	29267
662129630	662129655	662129622	662129656	250mm	290	180	200	29267



Handle Options

Fifth Wheel with Extended Handle option (extra 250mm/10" longer)
For Extended Handle add "EH" after the part number.
Example: 66129627 into 66129627EH

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

STANDARD DUTY BALLRACE/SLIDER G36

(FORMERLY SK-S 36.20)

- SG Iron construction
- Compliant to the ADR requirements



G36BD
Single Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr 952.6mm ctr

G36B - 50 mm (2") Single Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT800	TT811	TT810					
662106870	662106850	662106805	128mm	216	329	190	31825
662106871	662106851	662106801	150mm	238	333	190	31825
662106872	662106852	662106802	185mm	273	336	190	31825



G36BD
Double Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr 952.6mm ctr

G36BD - 50 mm (2") Double Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT820	TT831	TT830					
662106876	662106860	662106821	128mm	246	352	200	31825
662106877	662106861	662106823	150mm	268	356	200	31825
662106878	662106862	662106825	185mm	303	359	200	31825




G36S
Air Slider

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr 952.6mm ctr

G36S - 50 mm (2") Air Slider

Part Number		Foot Type	Height mm	Weight kg	D Rating kN	CRN
Narrow	Wide					
662206800	662206550	150mm	185	249	135	40101
662206805	662206555	185mm	220	252	135	40101



RECOSS® System

The same superb G36 series Fifth Wheels, with the additional safety of RECOSS®. The addition of non contact sensors to these FW's provides real time feedback in cab to the driver, providing accurate information about the state of hitch at all times.
Think how much money will be saved with no more dropped trailers.

Handle Options

Fifth Wheel with Front Opening Handle for "Roll Back" Trailers
Designed to allow the rolling back of pans over the Fifth Wheel to allow rear access to the trailer on A trailers.



G36K - 50 mm (2") with Front Opening Handle

Part Number		Foot Type	Height mm	Weight kg	D Rating kN	CRN
6621295408	G36K/128	Bolt on	128	116	200	29267
6621295418	G36K/150	Bolt on	150	120	200	29267
6621295428		Bolt on	185	123	200	29267

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(SUPERSEDES FW342)

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW331
Top Plate with Feet

FW331 - Low Lube 50 mm (2")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
FW331L*	HL	152	122	165	16753
FW331T*	HT	174	128	165	16753
FW331F*	HF	199	130	165	16753
FW331A*	HA	207	131	165	16753
FW331G	HG	223	131	165	16753
FW331X	HX	241	135	165	16753

* Restricted Angle of Pitch - Base plate must have cut outs to allow for the minimum 8 degree fore & aft oscillation. Cut out dimensions available on request.

ISO bolt on foot option available. Include suffix ISO (eg. FW331LISO) and add 12 mm to overall height.




FW331
Fixed Mount

FW331 - Low Lube 50 mm (2") Fixed Mount


Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW331L2	16	1050 X 660	168	196	165	16625
FW331T2	16	1050 X 660	190	202	165	16625
FW331F2	16	1050 X 660	215	204	165	16625
FW331A2	16	1050 X 660	223	205	165	16625
FW331G2	16	1050 X 660	239	205	165	16625
FW331X2	16	1050 X 660	257	209	165	16625
FW331L3	20	1050 X 660	172	212	165	16625
FW331T3	20	1050 X 660	194	218	165	16625
FW331F3	20	1050 X 660	219	220	165	16625
FW331A3	20	1050 X 660	227	221	165	16625
FW331G3	20	1050 X 660	243	221	165	16625
FW331X3	20	1050 X 660	261	225	165	16625

SAF-HOLLAND Plates are supplied with cut outs to meet with Australian Standards.
Drilled base plates available on request.



ELI System Option

Electronic Lock Indicator
When ordering an ELI system, add 'ELI' to the top plate part no. eg FW331AELI.



Handle Options

B-Double
When ordering "B" Double configuration add 'B' to the top plate part no.
(eg FW331AB) will attract same CRN and Assembly numbers as standard models.
Note: Ears removed from top plate to minimum width 915 mm.
All weights, oscillation, Ratings as per standard 331 assembly specs.
When uncoupled release handle does not protrude past the casting width.

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(SUPERSEDES FW342)

- Cast steel construction
- Tested to AS4968 series

under requirements of ADR 62/01



FW331
Single Row Ballrace

FW331 - Low Lube 50 mm (2") Single Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW331LS4	16	1050 x 1016	240	317	165	16641
FW331TS4	16	1050 x 1016	262	319	165	16641
FW331AS4	16	1050 x 1016	295	334	165	16641
FW331LS5	20	1050 x 1016	244	343	165	16641
FW331TS5	20	1050 x 1016	266	345	165	16641
FW331AS5	20	1050 x 1016	299	360	165	16641



FW331
Heavy Duty
Double Row Ballrace

FW331 - Low Lube 50 mm (2") Heavy Duty Double Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW331LD4	16	1050 x 1016	270	340	165	16627
FW331TD4	16	1050 x 1016	292	342	165	16627
FW331AD4	16	1050 x 1016	325	357	165	16627
FW331LD5	20	1050 x 1016	274	366	165	16627
FW331TD5	20	1050 x 1016	296	368	165	16627
FW331AD5	20	1050 x 1016	329	383	165	16627

Drilled base plates available on request.



FW331
Double Row Ballrace

FW331 - Low Lube 50 mm (2") Double Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW331LM4	16	1050 x 1016	270	331	165	21120
FW331TM4	16	1050 x 1016	292	333	165	21120
FW331AM4	16	1050 x 1016	325	348	165	21120
FW331LM5	20	1050 x 1016	274	357	165	21120
FW331TM5	20	1050 x 1016	296	359	165	21120
FW331AM5	20	1050 x 1016	329	374	165	21120

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

FW331 STANDARD DUTY KOMPENSATOR

(SUPERSEDES FW342)

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW331
Fixed Mount Kompensator

FW331 - LowLube 50 mm (2") Fixed Mount Kompensator

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW331K	Wing 12	760 x 200	249	243	163	16629
FW331KP	Flat 12	1050 x 660	249	268	163	16628
FW331KP6	Flat 16	1050 x 660	253	286	163	16628
FW331KP7	Flat 20	1050 x 660	257	303	163	16628



FW331
Single Row
Ballrace Kompensator

FW331 - Low Lube 50 mm (2") Single Row Ballrace Kompensator

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW331KS4	16	1050 x 1016	300	429	163	16640
FW331KS5	20	1050 x 1016	304	455	163	16640



FW331
Double Row
Ballrace Kompensator

FW331 - Low Lube 50 mm (2") Double Row Ballrace Kompensator

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW331KD4	16	1050 x 1016	330	452	163	16636
FW331KD5	20	1050 x 1016	334	478	163	16636

Kompensator allows 5 degrees of oscillation either side of vertical centre line.
Centre of gravity not to exceed 1120 mm above fifth wheel top plate surface.
Drilled base plates available on request.

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(SUPERSEDES FW342)

- Cast steel construction
- Tested to AS4968 series

under requirements of ADR 62/01



FW331
ILS Lightweight Slider

FW331 - Low Lube 50 mm (2") ILS Lightweight Slider

Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW33112US	610	1135 x 1043	182	224	151	40062
FW33113US	915	1440 x 1043	182	238	151	40062
FW33122US	610	1135 x 1043	207	227	151	40062
FW33123US	915	1440 x 1043	207	240	151	40062
FW33132US	610	1135 x 1043	231	228	151	40062
FW33133US	915	1440 x 1043	231	242	151	40062

Suits Truck Frame > 850 mm
Drilled base plates available on request.



FW331
ILS Lightweight Slider

FW331 - Low Lube 50 mm (2") ILS Lightweight Slider

Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW33112	610	1135 x 993	182	219	151	40062
FW33113	915	1440 x 993	182	232	151	40062
FW33122	610	1135 x 993	207	221	151	40062
FW33123	915	1440 x 993	207	235	151	40062
FW33132	610	1135 x 993	231	223	151	40062
FW33133	915	1440 x 993	231	236	151	40062

Suits Truck Frame < 850 mm
Drilled base plates available on request.

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(FORMERLY SK-S 36.20W)

- SG Iron construction
- Compliant to the ADR requirements



G36L
Top Plate with Feet

G36L - Low Lube 50 mm (2") c/w Feet

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
6621310118	128mm	128	116	200	29267
6621310128	150mm	150	120	200	29267
6621310138	185mm	185	123	200	29267
6621310428	225mm	225	121	152	29267
6621310148	250mm	250	135	200	29267



G36L
Fixed Mount Flat Plate

To suit truck frame width			
<850mm		>850mm	
Undrilled	Drilled 880mm	Undrilled	Drilled 952.6mm

G36L - Low Lube 50 mm (2") Fixed Mount Flat Plate

Part Number				Height mm	Weight kg (MP686 & MP689 Plate)	D Rating kN	CRN
MP690 (960 x 710mm)	MP691 (960 x 710mm)	MP686 (1060 x 710mm)	MP689 (1060 x 710mm)				
662131289	662131290	662131300	662131297	144	182	200	29267
MP301 (960 x 710mm)	MP580 (960 x 710mm)	MP602 (1060 x 710mm)	MP687 (1060 x 710mm)		(MP602 & MP687 Plate)		
662131293	662131288	662131301	662131305	166	214	200	29267
662131294	662131282	662131302	662131306	201	217	200	29267
662131295	662131278	662131303	662131307	241	215	152	29267
662131296	662131276	662131304	662131308	266	229	200	29267



G36L
Fixed Mount Ripple Plate

To suit truck frame width			
<850mm		>850mm	
Undrilled	Drilled 880mm	Undrilled	Drilled 952.6mm

G36L - Low Lube 50 mm (2") Fixed Mount Ripple Plate

Part Number				Height mm	Weight kg (MP078 & MP579 Plate)	D Rating kN	CRN
MP060 (960 x 665mm)	MP577 (960 x 775mm)	MP078 (1060 x 665mm)	MP579 (1060 x 665mm)				
662131317	662131284	662131313	662131283	190	169	200	29267
662131318	662131280	662131314	662131279	225	172	200	29267
662131319	662131272	662131315	662131271	265	170	152	29267
662131320	662131274	662131316	662131273	290	184	200	29267



Handle Options

Fifth Wheel with Extended Handle option (extra 250mm/10" longer)
For Extended Handle add "EH" after the part number.
Example: 66129627 into 66129627EH

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(FORMERLY SK-S 36.20W)

- SG Iron construction
- Compliant to the ADR requirements



G36LBD
Single Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr 952.6mm ctr

G36LB - Low Lube 50 mm (2") Single Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT800	TT811	TT810					
662106873	662106853	662106806	128mm	216	329	190	31825
662106874	662106854	662106803	150mm	238	333	190	31825
662106875	662106855	662106804	185mm	273	336	190	31825



G36LBD
Double Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr 952.6mm ctr


G36LBD - Low Lube 50 mm (2") Double Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT820	TT831	TT830					
662106879	662106863	662106822	128mm	246	352	200	31825
662106880	662106864	662106824	150mm	268	356	200	31825
662106881	662106865	662106826	185mm	303	359	200	31825

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr 952.6mm ctr

G36LS - Low Lube 50 mm (2") Air Slider

Part Number		Foot Type	Height mm	Weight kg	D Rating kN	CRN
Narrow	Wide					
662206850	662206650	150mm	185	249	135	40101
662206855	662206655	185mm	220	252	135	40101



RECOSS® System

The same superb G36L Low Lube series Fifth Wheels, with the additional safety of RECOSS®. The addition of non contact sensors to these FW's provides real time feedback in cab to the driver, providing accurate information about the state of hitch at all times.
Think how much money will be saved with no more dropped trailers.

Handle Options

Fifth Wheel with Front Opening Handle for "Roll Back" Trailers
Designed to allow the rolling back of pans over the Fifth Wheel to allow rear access to the trailer on A trailers.



G36LK - Low Lube 50 mm (2") with Front Opening Handle

Part Number		Foot Type	Height mm	Weight kg	D Rating kN	CRN
6621315408	G36LK/128	Bolt on	128	116	200	29267
6621315418	G36LK/150	Bolt on	150	120	200	29267
6621315428	G36LK/185	Bolt on	185	123	200	29267

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series
  under requirements of ADR 62/01



FW70
Top Plate with Feet

FW70 - 50 mm (2")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
FW70DL*	HL	143	163	240	16755
FW70DT*	HT	165	169	240	16755
FW70DF*	HF	190	171	240	16755
FW70DA*	HA	198	172	240	16755
FW70DG	HG	214	172	240	16755
FW70DX	HX	232	176	240	16755




FW70
Top Plate with Feet

FW70 - 90 mm (3.5")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
FW70OL*	HL	143	163	270	16756
FW70OT*	HT	165	169	270	16756
FW70OF*	HF	190	171	270	16756
FW70OA*	HA	198	172	270	16756
FW70OG	HG	214	172	270	16756
FW70OX	HX	232	176	270	16756

*Restricted Angle of Pitch - Base plates for the fifth wheels above must have cut outs to allow for the minimum 8 degrees fore & aft oscillation. Cut out dimensions available on request.
ISO bolt on foot option available. Include suffix ISO (eg. FW70DLISO) and add 12 mm to overall height.



Handle Options

RH Release Handle

When ordering a "RH Release handle option, add suffix "R" to the fifth wheel part number. eg: FW70DTR. This attracts the same CRN and number as the standard LH Release models.

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW70
Fixed Mount

FW70 - 50 mm (2”) Fixed Mount

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW70DL2	16	1050 x 660	159	237	240	16642
FW70DT2	16	1050 x 660	181	243	240	16642
FW70DF2	16	1050 x 660	206	245	240	16642
FW70DA2	16	1050 x 660	214	246	240	16642
FW70DG2	16	1050 x 660	230	246	240	16642
FW70DX2	16	1050 x 660	248	250	240	16642
FW70DL3	20	1050 x 660	163	253	240	16647
FW70DT3	20	1050 x 660	185	259	240	16647
FW70DF3	20	1050 x 660	210	261	240	16647
FW70DA3	20	1050 x 660	218	262	240	16647
FW70DG3	20	1050 x 660	234	262	240	16647
FW70DX3	20	1050 x 660	252	266	240	16647



FW70
Fixed Mount

FW70 - 90 mm (3.5”) Fixed Mount

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW70OL2	16	1050 x 660	159	237	270	16653
FW70OT2	16	1050 x 660	181	243	270	16653
FW70OF2	16	1050 x 660	206	245	270	16653
FW70OA2	16	1050 x 660	214	246	270	16653
FW70OG2	16	1050 x 660	230	246	270	16653
FW70OX2	16	1050 x 660	248	250	270	16653
FW70OL3	20	1050 x 660	163	253	270	16660
FW70OT3	20	1050 x 660	185	259	270	16660
FW70OF3	20	1050 x 660	210	261	270	16660
FW70OA3	20	1050 x 660	218	262	270	16660
FW70OG3	20	1050 x 660	234	262	270	16660
FW70OX3	20	1050 x 660	252	266	270	16660

SAF-HOLLAND Plates are supplied with cut outs to meet with Australian Standards.
Drilled base plates available on request.
Kompensator option available on request.

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW70
Single Row Ballrace

FW70 - 50 mm (2") Single Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW70DLS4	16	1050 x 1016	231	358	190	16645
FW70DTS4	16	1050 x 1016	253	360	190	16645
FW70DAS4	16	1050 x 1016	286	375	165	16645
FW70DLS5	20	1050 x 1016	235	384	190	16645
FW70DTS5	20	1050 x 1016	257	386	190	16645
FW70DAS5	20	1050 x 1016	290	401	165	16645



FW70
Single Row Ballrace

FW70 - 90 mm (3.5") Single Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW70OLS4	16	1050 x 1016	231	358	190	16664
FW70OTS4	16	1050 x 1016	253	360	190	16664
FW70OAS4	16	1050 x 1016	286	375	165	16664
FW70OLS5	20	1050 x 1016	235	384	190	16664
FW70OTS5	20	1050 x 1016	257	386	190	16664
FW70OAS5	20	1050 x 1016	290	401	165	16664



FW70
Double Row Ballrace

FW70 - 50 mm (2") Double Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW70DLD4	16	1050 x 1016	261	381	240	16644
FW70DTD4	16	1050 x 1016	283	383	240	16644
FW70DAD4	16	1050 x 1016	316	398	165	16644
FW70DLD5	20	1050 x 1016	265	407	240	16644
FW70DTD5	20	1050 x 1016	287	409	240	16644
FW70DAD5	20	1050 x 1016	320	424	165	16644



FW70
Double Row Ballrace

FW70 - 90 mm (3.5") Double Row Ballrace


Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW70OLD4	16	1050 x 1016	261	381	270	16661
FW70OTD4	16	1050 x 1016	283	383	270	16661
FW70OAD4	16	1050 x 1016	316	398	165	16661
FW70OLD5	20	1050 x 1016	265	407	270	16661
FW70OTD5	20	1050 x 1016	287	409	270	16661
FW70OAD5	20	1050 x 1016	320	424	165	16661

Drilled base plates available on request.
Kompensator option available on request.

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW70
Fixed Mount Slider

FW70 - 50 mm (2") Heavy Duty Fixed Slider


Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS70DL	700	2400 X 1100	183	433	240	36513
FWS70DT	700	2400 X 1100	205	439	240	36513
FWS70DF	700	2400 X 1100	230	441	240	36513
FWS70DA	700	2400 X 1100	238	442	240	36513
FWS70DX	700	2400 X 1100	272	446	240	36513



FW70
Fixed Mount Slider

FW70 - 90 mm (3.5") Heavy Duty Fixed Slider


Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS70OL	700	2400 X 1100	183	433	270	36513
FWS70OT	700	2400 X 1100	205	439	270	36513
FWS70OF	700	2400 X 1100	230	441	270	36513
FWS70OA	700	2400 X 1100	238	442	270	36513
FWS70OX	700	2400 X 1100	272	446	270	36513



FW70
Heavy Duty Ballrace Slider

FW70 - 50 mm (2") Heavy Duty Ballrace Slider

Part Number	Travel mm	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS70DLS	700	Single Row	2400 X 1100	255	527	190	36513
FWS70DTS	700	Single Row	2400 X 1100	277	533	190	36513
FWS70DLD	700	Double Row	2400 X 1100	285	550	240	36513
FWS70DTD	700	Double Row	2400 X 1100	307	556	240	36513



FW70
Heavy Duty Ballrace Slider

FW70 - 90 mm (3.5") Heavy Duty Ballrace Slider

Part Number	Travel mm	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS70OLS	700	Single Row	2400 X 1100	255	527	190	36513
FWS70OTS	700	Single Row	2400 X 1100	277	533	190	36513
FWS70OLD	700	Double Row	2400 X 1100	285	550	270	36513
FWS70OTD	700	Double Row	2400 X 1100	307	556	270	36513

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(FORMERLY SK-HD 38.36)

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



G38
Top Plate with Feet



G38
Top Plate with Feet

G38 - 50 mm (2") Heavy Duty Top Plate c/w Feet

Part Number	Description	Height	Weight	D Rating kN	CRN
662111085	G38 c/w 150mm feet	150	185	200	29822
662111074	G38 c/w 190mm feet	190	185	200	29822

G38 - 90 mm (3.5") Heavy Duty Top Plate c/w Feet

Part Number	Description	Height mm	Weight kg	D Rating kN	CRN
662111065	G38 c/w 150 mm feet	150	185	290	29822
662111066	G38 c/w 190 mm feet	190	185	290	29822

G38 - 50 mm (2") Heavy Duty Fixed Mount

Part Number	Description	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
662 111 360	23 Tonne Fifth Wheel & MP 602	710 x 1060	166	275	200	29822
662 111 361	23 Tonne Fifth Wheel & MP 602	710 x 1060	206	275	200	29822

G38 - 90 mm (3.5") Heavy Duty Fixed Mount

Part Number	Description	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
662 111 362	36 Tonne Fifth Wheel & MP 602	710 x 1060	166	275	290	29822
662 111 363	36 Tonne Fifth Wheel & MP 602	710 x 1060	206	275	290	29822

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

(FORMERLY SK-HD 38.36)

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



G38B
Single Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr	952.6mm ctr

G38B - 50 mm (2") Heavy Duty Single Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT800	TT811	TT810					
662106882	662106845	662106844	150mm	238	398	190	31825
662106883	662106846	662106843	190mm	273	398	190	31825



G38B
Single Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr	952.6mm ctr

G38B - 90 mm (3.5") Heavy Duty Single Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT800	TT811	TT810					
662106884	662106847	662106841	150mm	238	398	190	31825
662106885	662106848	662106842	190mm	273	398	190	31825



G38BD
Double Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr	952.6mm ctr

G38BD - 50 mm (2") Heavy Duty Double Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT820	TT831	TT830					
662106886	662106856	662106869	150mm	268	421	240	31825
662106887	662106857	662106868	190mm	308	421	240	31825



G38BD
Double Row Ballrace

Undrilled	Pre-drilled Mtg Holes @ 880mm ctr	952.6mm ctr

G38BD - 90 mm (3.5") Heavy Duty Double Row Ballrace

Part Number			Foot Type	Height mm	Weight kg	D Rating kN	CRN
TT820	TT831	TT830					
662106888	662106858	662106866	150mm	268	421	270	31825
662106889	662106859	662106867	190mm	308	421	270	31825

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series
  under requirements of ADR 62/01



FW72
Top Plate with Feet

FW72 - Low Lube 50 mm (2")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
FW72DL*	HL	146	163	240	16755
FW72DT*	HT	168	169	240	16755
FW72DF*	HF	193	171	240	16755
FW72DA*	HA	201	172	240	16755
FW72DG	HG	217	172	240	16755
FW72DX	HX	235	176	240	16755




FW72
Top Plate with Feet

FW72 - Low Lube 90 mm (3.5")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
FW72OL*	HL	146	163	270	16756
FW72OT*	HT	168	169	270	16756
FW72OF*	HF	193	171	270	16756
FW72OA*	HA	201	172	270	16756
FW72OG	HG	217	172	270	16756
FW72OX	HX	235	176	270	16756

*Restricted Angle of Pitch - Base plates for the fifth wheels above must have cut outs to allow for the minimum 8 degrees fore & aft oscillation. Cut out dimensions available on request.
ISO bolt on foot option available. Include suffix ISO (eg. FW72DLISO) and add 12 mm to overall height.



Handle Options

RH Release Handle

When ordering a "RH Release handle option, add suffix "R" to the fifth wheel part number. eg: FW72DTR. This attracts the same CRN and number as the standard LH Release models.

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series

under requirements of ADR 62/01

FW72 - Low Lube 50 mm (2") Fixed Mount



FW72
Fixed Mount

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW72DL2	16	1050 x 660	162	237	240	16642
FW72DT2	16	1050 x 660	184	243	240	16642
FW72DF2	16	1050 x 660	209	245	240	16642
FW72DA2	16	1050 x 660	217	246	240	16642
FW72DG2	16	1050 x 660	233	246	240	16642
FW72DX2	16	1050 x 660	251	250	240	16642
FW72DL3	20	1050 x 660	166	253	240	16647
FW72DT3	20	1050 x 660	188	259	240	16647
FW72DF3	20	1050 x 660	213	261	240	16647
FW72DA3	20	1050 x 660	221	262	240	16647
FW72DG3	20	1050 x 660	237	262	240	16647
FW72DX3	20	1050 x 660	255	266	240	16647

FW72 - Low Lube 90 mm (3.5") Fixed Mount



FW72
Fixed Mount

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW72OL2	16	1050 x 660	162	237	270	16653
FW72OT2	16	1050 x 660	184	243	270	16653
FW72OF2	16	1050 x 660	209	245	270	16653
FW72OA2	16	1050 x 660	217	246	270	16653
FW72OG2	16	1050 x 660	233	246	270	16653
FW72OX2	16	1050 x 660	251	250	270	16653
FW72OL3	20	1050 x 660	166	253	270	16660
FW72OT3	20	1050 x 660	188	259	270	16660
FW72OF3	20	1050 x 660	213	261	270	16660
FW72OA3	20	1050 x 660	221	262	270	16660
FW72OG3	20	1050 x 660	237	262	270	16660
FW72OX3	20	1050 x 660	255	266	270	16660

SAF-HOLLAND Plates are supplied with cut outs to meet with Australian Standards.
Drilled base plates available on request.
Kompensator option available on request.

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW72
Single Row Ballrace

FW72 - Low Lube 50 mm (2") Single Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW72DLS4	16	1050 x 1016	234	358	190	16645
FW72DTS4	16	1050 x 1016	256	360	190	16645
FW72DAS4	16	1050 x 1016	289	375	165	16645
FW72DLS5	20	1050 x 1016	238	384	190	16645
FW72DTS5	20	1050 x 1016	260	386	190	16645
FW72DAS5	20	1050 x 1016	293	401	165	16645



FW72
Single Row Ballrace

FW72 - Low Lube 90 mm (3.5") Single Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW72OLS4	16	1050 x 1016	234	358	190	16664
FW72OTS4	16	1050 x 1016	256	360	190	16664
FW72OAS4	16	1050 x 1016	289	375	165	16664
FW72OLS5	20	1050 x 1016	238	384	190	16664
FW72OTS5	20	1050 x 1016	260	386	190	16664
FW72OAS5	20	1050 x 1016	293	401	165	16664



FW72
Double Row Ballrace

FW72 - Low Lube 50 mm (2") Double Row Ballrace

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW72DLD4	16	1050 x 1016	264	381	240	16644
FW72DTD4	16	1050 x 1016	286	383	240	16644
FW72DAD4	16	1050 x 1016	319	398	165	16644
FW72DLD5	20	1050 x 1016	268	407	240	16644
FW72DTD5	20	1050 x 1016	290	409	240	16644
FW72DAD5	20	1050 x 1016	323	424	165	16644



FW72
Double Row Ballrace

FW72 - Low Lube 90 mm (3.5") Double Row Ballrace


Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FW72OLD4	16	1050 x 1016	264	381	270	16661
FW72OTD4	16	1050 x 1016	286	383	270	16661
FW72OAD4	16	1050 x 1016	319	398	165	16661
FW72OLD5	20	1050 x 1016	268	407	270	16661
FW72OTD5	20	1050 x 1016	290	409	270	16661
FW72OAD5	20	1050 x 1016	323	424	165	16661

Drilled base plates available on request.
Kompensator option available on request.

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


- Cast steel construction
- Tested to AS4968 series under requirements of ADR 62/01



FW72
Fixed Mount Slider

FW72 - Low Lube 50 mm (2") Heavy Duty Fixed Slider


Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS72DL	700	2400 X 1100	186	433	240	36513
FWS72DT	700	2400 X 1100	208	439	240	36513
FWS72DF	700	2400 X 1100	233	441	240	36513
FWS72DA	700	2400 X 1100	241	442	240	36513
FWS72DX	700	2400 X 1100	275	446	240	36513



FW72
Fixed Mount Slider

FW72 - Low Lube 90 mm (3.5") Heavy Duty Fixed Slider


Part Number	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS72OL	700	2400 X 1100	186	433	270	36513
FWS72OT	700	2400 X 1100	208	439	270	36513
FWS72OF	700	2400 X 1100	233	441	270	36513
FWS72OA	700	2400 X 1100	241	442	270	36513
FWS72OX	700	2400 X 1100	275	446	270	36513



FW72
Double Row Ballrace Slider

FW72 - Low Lube 50 mm (2") Heavy Duty Ballrace Slider

Part Number	Travel mm	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS72DLS	700	Single Row	2400 X 1100	258	527	190	36513
FWS72DTS	700	Single Row	2400 X 1100	280	533	190	36513
FWS72DLD	700	Double Row	2400 X 1100	288	550	240	36513
FWS72DTD	700	Double Row	2400 X 1100	310	556	240	36513



FW72
Double Row Ballrace Slider

FW72 - Low Lube 90 mm (3.5") Heavy Duty Ballrace Slider


Part Number	Travel mm	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWS72OLS	700	Single Row	2400 X 1100	258	527	190	36513
FWS72OTS	700	Single Row	2400 X 1100	280	533	190	36513
FWS72OLD	700	Double Row	2400 X 1100	288	550	270	36513
FWS72OTD	700	Double Row	2400 X 1100	310	556	270	36513

Drilled base plates available on request.

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

- Alcoa forged aluminium construction
- Tested to AS4968 series
  under requirements of ADR 62/01




FWAL
Top Plate with Feet

FWAL - 50 mm (2")

Part Number	Foot Type	Height mm	Weight kg	D Rating kN	CRN
FWALL	HL	163	85	151	40062
FWALT	HT	185	91	151	40062
FWALF	HF	210	93	151	40062
FWALA	HA	218	94	151	40062
FWALG	HG	234	94	151	40062
FWALX	HX	252	98	151	40062


ISO bolt on foot option available. Include suffix ISO (eg. FWALLISO) and add 12 mm to overall height.



FWAL
Fixed Mount Flat Plate

FWAL - 50 mm (2") Fixed Mount Flat Plate

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWALL2	16	1050 x 660	179	159	151	40062
FWALT2	16	1050 x 660	201	165	151	40062
FWALF2	16	1050 x 660	226	167	151	40062
FWALA2	16	1050 x 660	234	168	151	40062
FWALG2	16	1050 x 660	250	168	151	40062
FWALX2	16	1050 x 660	268	172	151	40062



FWAL
Fixed Mount Ripple Plate

FWAL - 50 mm (2") Fixed Mount Ripple Plate

Part Number	Base Type mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
FWALLRP22	22	1060 x 665	197	146	151	40061
FWALTRP22	22	1060 x 665	219	152	151	40061
FWALFRP22	22	1060 x 665	244	155	151	40061
FWALARP22	22	1060 x 665	252	156	151	40061
FWALGRP22	22	1060 x 665	268	156	151	40061
FWALXRP22	22	1060 x 665	286	159	151	40061
FWALLRP40	40	1060 x 665	215	150	151	40061
FWALTRP40	40	1060 x 665	237	156	151	40061
FWALFRP40	40	1060 x 665	262	159	151	40061
FWALARP40	40	1060 x 665	270	160	151	40061
FWALGRP40	40	1060 x 665	286	160	151	40061
FWALXRP40	40	1060 x 665	304	163	151	40061

Drilled base plates available on request.

Note: Not suitable for Livestock application.
Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



FW165O

FW1650 - 90 mm (3.5”) Heavy Duty Semi Oscillating Off Road

Part Number	Locks mm	Max Vertical Load	Height mm	Weight kg	D Rating kN	CRN
FW1650	90	75,000 kg	267	270	270	36513

Cast steel construction. Weld on feet



FW2080

FW2080 - Heavy Duty Fully Oscillating Off Road

Part Number	Locks mm	Max Vertical Load	Height mm	Weight kg	D Rating kN	CRN
FW2080D	50	32,000 kg	346	370	Off Road Applications	
FW2080O	90	32,000 kg	346	370	270	36513



G38D

G38D - Heavy Duty Double Oscillating (formerly SK-HD 38.36D)

Part Number	Locks mm	Max Vertical Load	Height mm	Weight kg	D Rating kN	CRN
662111089	50	23,000 kg	290	272	Off Road Applications	
662111088	90	36,000 kg	290	272	Off Road Applications	



G38D

G38D - Heavy Duty Double Oscillating Assembly (formerly SK-HD 38.36D)

Part Number	Locks mm	Max Vertical Load	Height mm	Weight kg	D Rating kN	CRN
662111365	50	23,000 kg	306	272	Off Road Applications	
662111364	90	36,000 kg	306	272	Off Road Applications	



G36H

G36H - 50 mm (2”) Dual Height (formerly SK-S 36.20H)

Part Number	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
6621323118	1205 x 950	167/267	329	122	30723
6621323128	1205 x 950	167/317	334	122	30723
6621323138	1205 x 950	167/367	336	122	30723

G36LH - 50 mm (2”) Dual Height Low Lube


Part Number	Plate Dim. mm	Height mm	Weight kg	D Rating kN	CRN
6621323518	1205 x 950	167/267	329	122	30723
6621323528	1205 x 950	167/317	334	122	30723
6621323538	1205 x 950	167/367	336	122	30723



GC6

GC6 - 50 mm Light Commercial

Part Number	Locks mm	Max Vertical Load	Height mm	Weight kg	D Rating kN	CRN
662 121 005	50	6t	120	45	49	



FW0001
KP0030

FW0001 - 50 mm Light Commercial

Part Number	Locks mm	Max Vertical Load	Height mm	Weight kg	D Rating kN	CRN
FW0001	50	3,629 kg	140	26	40	38732
KP0030	Retractable Kingpin 50mm Bed mounted (Suits FW0001)			13.6	40	38733

Note: Special colour coded finishes and fitment are available on request.
Contact your SAF-HOLLAND rep for all options which may suit your application.

 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

MOUNTING OPTIONS



Cast Steel Foot



ISO Bolt On Foot

FW Series Cast Steel Feet

Part Number	Description	Height mm	Weight kg
XB2007HL	Cast Foot Weld on	*73	7
XB2007HT	Cast Foot Weld on	*95	10
XB2007HF	Cast Foot Weld on	*120	11
XB2007HA	Cast Foot Weld on	*128	12
XB2007HG	Cast Foot Weld on	*144	13
XB2007HX	Cast Foot Weld on	*162	14

ISO bolt on foot option available. Include suffix ISO to part number and add 12 mm to overall height.



Ballrace Foot

FW Series Ballrace Feet

Part Number	Description	Height mm	Weight kg
XB2007HB	Cast SGI Foot with Half Moon Base to suit Ballrace	*85	16
XB2007HD	Cast SGI Foot with Half Moon Base to suit Ballrace	*107	17.1
XB2007HE	Cast Steel Foot with Fabricated Half Moon Base to suit Ballrace	*140	24.5



Mounting Plate with Feet

FW Series Cast Steel Feet & Flat Mounting Plates

Part Number	Description	Plate Dim. mm	Height mm	Weight kg
L2	Mounting Plate c/w Feet	1050 x 660 x 16	*89	88
T2	Mounting Plate c/w Feet	1050 x 660 x 16	*111	94
F2	Mounting Plate c/w Feet	1050 x 660 x 16	*136	96
A2	Mounting Plate c/w Feet	1050 x 660 x 16	*144	98
G2	Mounting Plate c/w Feet	1050 x 660 x 16	*160	100
X2	Mounting Plate c/w Feet	1050 x 660 x 16	*178	102

Also available 20 mm Mounting Plate




Ballrace Base Assembly

FW Series Ballrace Base Assemblies

Part Number	Description	Plate Dim. mm	Height mm	Weight kg	D Rating
LS4	Ballrace c/w SGI Feet	1050 x 660 x 16	*161	208	190
TS4	Ballrace c/w SGI Feet	1050 x 660 x 16	*183	210	190
AS4	Ballrace c/w Steel Feet	1050 x 660 x 16	*216	225	165
LD4	Ballrace c/w SGI Feet	1050 x 660 x 16	*191	231	270
TD4	Ballrace c/w SGI Feet	1050 x 660 x 16	*213	233	270
AD4	Ballrace c/w Steel Feet	1050 x 660 x 16	*246	248	165
LS5	Ballrace c/w SGI Feet	1050 x 660 x 20	*165	234	190
TS5	Ballrace c/w SGI Feet	1050 x 660 x 20	*187	236	190
AS5	Ballrace c/w Steel Feet	1050 x 660 x 20	*220	251	165
LD5	Ballrace c/w SGI Feet	1050 x 660 x 20	*195	257	270
TD5	Ballrace c/w SGI Feet	1050 x 660 x 20	*217	259	270
AD5	Ballrace c/w Steel Feet	1050 x 660 x 20	*250	274	165

* Height to the centre of foot boss.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



Single Row Ballrace

FW Series Ballrace


Part Number	Description	Drilled	Height mm	Weight kg	D Rating kN
SR601000	16t Single Row Ballrace	Undrilled	60	68	190
SR601000D	16t Single Row Ballrace	Drilled	60	68	190
90S1000	16t Double Row	Undrilled	90	82	190
90S1000D	16t Double row	Drilled	90	82	190
DR901000	30t Heavy Duty Double Row Ballrace	Undrilled	90	91	270
DR901000D	30t Heavy Duty Double Row Ballrace	Drilled	90	91	270



Kompensator

FW Series Kompensator


Part Number	Description	Plate Dim. mm	Height mm	Weight kg	D Rating kN
K	Komp on 2 x Side Plates (to suit Bolting to Chassis Angles)	762 x 200	170	134	163
KP	Komp on Mounting Plate	1050 x 660 x 12	170	159	163
KP6	Komp on Mounting Plate	1050 x 660 x 16	174	176.5	163
KP7	Komp on Mounting Plate	1050 x 660 x 20	178	194	163
KR	Komp on Radiused Mounting Plate (to suit Ballrace)	x 12	145	144	163



ILS Slider

FW Series Air Release Sliders (Adjustment pitch 50 mm)

Part Number	Description	Travel mm	Plate Dim. mm	Height mm	Weight kg	D Rating kN
FWS	Heavy Duty Slider Base	700	2400 x 1100	40	270	270
XAE12	ILS, 103 Foot Pin Height	610	1135 x 993	103	110	151
XAE22	ILS, 128 Foot Pin Height	610	1135 x 993	128	112	151
XAE32	ILS, 154 Foot Pin Height	610	1135 x 993	154	114	151
XAE13	ILS, 103 Foot Pin Height	915	1440 x 993	103	123	151
XAE23	ILS, 128 Foot Pin Height	915	1440 x 993	128	126	151
XAE33	ILS, 154 Foot Pin Height	915	1440 x 993	154	127	151
XAE12US	ILS, 103 Foot Pin Height	610	1135 x 1043	103	115	151
XAE22US	ILS, 128 Foot Pin Height	610	1135 x 1043	128	118	151
XAE32US	ILS, 154 Foot Pin Height	610	1135 x 1043	154	120	151
XAE13US	ILS, 103 Foot Pin Height	915	1440 x 1043	103	128	151
XAE23US	ILS, 128 Foot Pin Height	915	1440 x 1043	128	131	151
XAE33US	ILS, 154 Foot Pin Height	915	1440 x 1043	154	133	151



V20 Slider

G36 & G38 Series V20 Slider - ISO (Adjustment pitch 37.5 mm)

Part Number	Description	Drilled	Plate Dim. mm	Height mm	Weight kg
662204507	Manual Operation, Vehicle Mnt Holes @ 880mm centres	Drilled	960x1250	35	110
662206401	Manual Operation, Vehicle Mnt Holes @ 952.6mm ctrs	Drilled	1060x1250	35	129
662205507	Air Operation, Vehicle Mnt Holes @ 880mm ctr, requires Inst.Kit	Drilled	960x1250	35	110
662206403	Air Operation, Vehicle Mnt Holes @ 952.6mm centres requires Inst. Kit	Drilled	1060x1250	35	129
662101802	Pneumatic Installation Kit				

 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

MOUNTING OPTIONS



Flat Mounting Plate

G36 & G38 Series Flat Mounting Plates - ISO

Part Number		Description	Drilled	Plate Dim. mm	Height mm	Weight kg
6621013018	MP301	960 x 710		960 x 710	16	85
6621015808	MP580	960 x 710 Vehicle Mounting Holes @ 880mm centres	Drilled	960 x 710	16	85
6621016028	MP602	1060 x 710		1060 x 710	16	94
6621016868	MP686	1060 x 710 suit 128mm FW		1060 x 710	16	66
6621016878	MP687	1060 x 710 Vehicle Mounting Holes @ 952.6mm centres	Drilled	1060 x 710	16	94
6621016898	MP689	1060 x 710 128mm FW, Vehicle Mounting Holes @ 952.6mm centres	Drilled	1060 x 710	16	66
6621016908	MP690	960 x 710 suit 128mm FW		960 x 710	16	60
6621016918	MP691	960 x 710 suit 128mm FW, Vehicle Mounting Holes @ 880mm centres	Drilled	960 x 710	16	60



Ripple Mounting Plate

G36 & G38 Series Ripple Mounting Plates - ISO

Part Number		Description	Drilled	Plate Dim. mm	Height mm	Weight kg
6621010608	MP060	960 x 665		960 x 665	40	45
6621010788	MP078	1060 x 665		1060 x 665	40	49
6621015778	MP577	960 x 775 Vehicle Mnt Holes @ 880mm centres	Drilled	960 x 775	40	54
6621015798	MP579	1060 x 665 Vehicle Mnt Holes @ 952.6mm centres	Drilled	1060 x 665	40	49
6621011068	MP106	960 x 665		960 x 665	22	41
6621011998	MP199	1060 x 665		1060 x 665	22	45



Single Row Ballrace

G36 & G38 Series Single Row Ballrace - ISO

Part Number		Description	Drilled	Plate Dim. mm	Height mm	Weight kg
662106800	TT800	Single Row Ballrace Sub Assembly		1050x1020x16	88	213
662106811	TT811	Vehicle Mnt Holes @ 880mm ctr	Drilled	1050x1020x16	88	213
662106810	TT810	Vehicle Mnt Holes @ 952.6mm ctr	Drilled	1050x1020x16	88	213



Double Row Ballrace

G36 & G38 Series Double Row Ballrace - ISO

Part Number		Description	Drilled	Plate Dim. mm	Height mm	Weight kg
662106820	TT820	DR Ballrace sub-assembly		1050x1020x16	118	236
662106831	TT831	Vehicle Mnt Holes @ 880mm ctr	Drilled	1050x1020x16	118	236
662106830	TT830	Vehicle Mnt Holes @ 952.6mm ctr	Drilled	1050x1020x16	118	236



Mounting Bolts

G36 & G38 Series Mounting Bolts

Part Number		Description	
662 101 6508	MK 650	FW to Flat Plate	type 12 x M16 countersunk
662 101 6518	MK 651	FW to Flat Plate	suits MP 602, PM 686, MP 687, MP 301
662 101 6528	MK 652	FW to Ripple Plate	suits MP 199, PM 060, MP 078, MP 106
662 101 6538	MK 653	MP to Truck Angles	suits Ripple Plate, 8 x M20
662 101 6548	MK 654	MP to Truck Angles	suits Flat Plate, 12 x M16
662 101 725	MK 725	MP to Truck Angles	suits Flat Plate, 12 x M20

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



BH50MMRN41

PINTLE HOOK - Rigid Mount, 50mm diametre ball *(Replaces PH16B)*

Part Number	Maximum Vertical Load	*Maximum Gross Trailer Weight	Length mm	Weight kg	D Rating kN	CRN
BH50MMRN41	1,724 kg	8,618 kg	165.1	4.5	20	46665

*Maximum Gross Trailer Weight for the 50 mm Ball is 4,536 kg (10,000 lbs).
Drawbar Eye Dimensions: 60.4 mm to 76.2 mm I.D. with 31.7 mm to 41.4 mm diameter section.
For off-road applications, reduce the stated capacities by 25% and use with a swivel-mount drawbar.




PH300
PH3001

PINTLE HOOK - Rigid Mount (With Air Cushioned Snubber)

Part Number	Maximum Vertical Load	Maximum Gross Trailer Weight	Length mm	Weight kg	D Rating kN	CRN
PH300	8,165 kg	32,659 kg	*184.1	19	165	24295
PH3001	8,165 kg	32,659 kg	184.1	13	165	24295

*Length Dimension is external to mounting structure. The added measurement is 146.3 mm.
Drawbar Eye Dimensions: 60.4 mm to 76.2 mm I.D. with 31.7 mm to 41.4 mm diameter section.
The complete assembly includes a pintle body, plunger, air chamber, and mounting brackets.
For pintle hooks without an air chamber, bracket, or plunger, order PH3001.
The PH300 can be operated with or without the air chamber.
For off-road applications, reduce the stated capacities by 25% and use with a swivel-mount drawbar.



PHT60AOL8

PINTLE HOOK - Rigid Mount

Part Number	Maximum Vertical Load	Maximum Gross Trailer Weight	Length mm	Weight kg	D Rating kN	CRN
PHT60AOL8	2,722 kg	13,608 kg	159.7	5	35	26465

Drawbar Eye Dimensions: 50.8 mm to 76.2 mm I.D. with 31.7 mm to 41.4 mm diameter section.
For off-road applications, reduce the stated capacities by 25% and use with a swivel-mount drawbar.



DB1385

DRAWBAR - Rigid Mount Bolt-On

Part Number	Maximum Vertical Load	Maximum Gross Trailer Weight	Length mm	Weight kg	D Rating kN	CRN
DB1385	6,804 kg	27,216 kg	173.4	8.6	165	24296

When used with hinged tongue trailers, where the maximum vertical load cannot exceed 227kg (500 lbs,) the maximum gross trailer weight is 40,824 kg (90,000 lbs.).
Not designed to be welded to a trailer tongue.
For off-road applications, reduce the stated capacities by 25% and use with a swivel-mount device.



DB61030S

DRAWBAR - Sub Assembly (Swivel)

Part Number	Maximum Vertical Load	Maximum Gross Trailer Weight	Length mm	Weight kg	D Rating kN	CRN
DB61030S	4,082 kg	20,412 kg	434.9	16.3	150	42325

When used with hinged tongue trailers, where the maximum vertical load cannot exceed 227kg (500 lbs,) the maximum gross trailer weight is 38,556 kg (85,000 lbs.).



DB61030

DRAWBAR - Sub Assembly (Fixed)

Part Number	Maximum Vertical Load	Maximum Gross Trailer Weight	Length mm	Weight kg	D Rating kN	CRN
DB61030	4,082 kg	20,412 kg	434.9	16.3	150	42325

When used with hinged tongue trailers, where the maximum vertical load cannot exceed 227kg (500 lbs,) the maximum gross trailer weight is 38,556 kg (85,000 lbs.).

V.ORLANDI COUPLINGS



E 40

AUTOMATIC COUPLING - E 40 with steel wearing pad (Ø 40mm)

Part Number		Length mm	Weight kg	D Rating kN	CRN
GE406B0	downward lever	456	37.5	150	37724



E 516

AUTO COUPLING - E516 PACIFIC w/ plastic wearing pad (Ø50mm)

Part Number		Length mm	Weight kg	D Rating kN	CRN
GE516F0	downward lever	512	43.5	280	37470

50mm for heavy vertical load



E 520

AUTOMATIC COUPLING - E 520 with steel wearing pad (Ø50mm)

Part Number		Length mm	Weight kg	D Rating kN	CRN
GE520B0	downward lever	512	49	280	37471



E 520

AUTO COUPLING - E520 w/ kits CO01601 and CO02000 (Ø50mm)


Part Number	Length mm	Weight kg	D Rating kN	CRN
GE520A9	512	49	280	37471



EH 521

AUTOMATIC COUPLING - EH 521 tipping coupling (Ø50mm)


Part Number		Length mm	Weight kg	D Rating kN	CRN
EH521B0	spring lock	513	41	220	37743



EH 524

AUTOMATIC COUPLING - EH 524 tipping coupling (Ø50mm)

Part Number		Length mm	Weight kg	D Rating kN	CRN
EH524B0	gas shock absorber lock	513	53	220	37743



MC 511

AUTOMATIC COUPLING - MC 511 std coupling (Ø50mm)

Part Number		Length mm	Weight kg	D Rating kN	CRN
MC511BO	downward lever	452	36	250	37746



GA 38

AUTOMATIC COUPLING - GA 38 (Ø40mm)

Part Number	Length mm	Weight kg	D Rating kN	CRN
GA380AO	154	5.8	30	37744




TI 00

TRAILER COUPLING - TI 00 TITANO (Ø 50 / Ø 70mm)

Part Number	Length mm	Weight kg	Trailer Weight t	CRN
TI 00101	170	64	250	-
TI 00200	192	100	500	-

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


OC40W04



Drawbar - 40 mm Weldable 60 x 65

Part Number		Length mm	Weight kg	D Rating kN	CRN
OC40W04		335	8.5	125	39582


OC50W01 / OC50WT1



Drawbar - 50 mm Weldable 60 x 65

Part Number		Length mm	Weight kg	D Rating kN	CRN
OC50W01	Split bush	380	11	190	37469
OC50WT1	Solid Bush	380	11	190	37469


OC50W05 / OC50WT5



Drawbar - 50 mm Weldable Heavy Duty 80 x 75

Part Number		Length mm	Weight kg	D Rating kN	CRN
OC50W05	Split Bush	385	12.5	315	37468
OC50WT5	Solid Bush	385	12.5	315	37468


OC51F8E



Drawbar - 50 mm Flanged

Part Number	Length mm	Weight kg	D Rating kN	CRN
OC51F8E	250	11.2	200	37742


OC50R09



Drawbar - 50 mm Removable Eye

Part Number	Length mm	Weight kg	D Rating kN	CRN
OC50R09	562	12	250	37722


OC50R10 / OC50RT1



Drawbar - 50 mm removable interchangeable Jeco

Part Number		Length mm	Weight kg	D Rating kN	CRN
OC50R10	Split Bush	475	12.5	250	37721
OC50RT1	Solid Bush	475	12.5	250	37721


RO00038



Weldable Brackets - Square block for OC50R09

Part Number	Length mm	Weight kg
RO00038	245	12.5

RO00041A



Weldable Brackets - Square block for OC50R10

Part Number	Length mm	Weight kg
RO00041A	173	12

PS00200



Weldable Plate - For OC50F8E

Part Number		Thickness mm	Weight kg
PS00200	200 x 200 mm	30	8


FW351 SPARE PARTS


Item	Part No.	Description	Qty
	XA351A	Complete Top Plate Assembly	1
1*	XA0729282	Lock Pin	2
2	XB07398	Circlip	2
2A	XBH38A	Grease Nipple 90°	2
3*	XA07296	Lock Jaw Set	1
4*	XB07628	Extension Spring	1
5	XBHNH34F	Locknut (3/4"16)	1
6*	XBPW1316112	Washer (1 1/2" O.D. x 13/16" I.D.)	1
7*	XB1127	Rubber Washer	1
8*	XB02312	Lock Adjustment	1
9*	XA1706	Yoke Shaft	1
10*	XB1505	Compression Spring	1
11*	XA07295	Yoke	1
	XA07295THK	Yoke, Thick (optional)	
12*	XB2149	Torsion Spring	1
13	XB21S5002750	Roll Pin (1/2" x 2-3/4")	1
14*	XA3542R	Secondary Lock, Right-hand	1
	XA3542L	Secondary Lock, Left-hand (optional)	1
15	XB1021	Hex Head Cap Screw (1/2"-20 x 1-3/4")	1
16*	XB08559	Washer (1-3/4" O.D. x 9/16"I.D)	2
17*	XA1029	Roller (1/2" I.D.)	1
18	XBCX58F134	Hex Head Cap Screw (5/8"-18 x 1-3/4")	1
19*	XB07431	Washer (2-5/8"x 21/32")	2
20*	XA1507	Roller (5/8" I.D.)	1
21*	XA07150R	Cam Plate, Right-hand	1
	XA07150L	Cam Plate, Left-hand (optional)	1
21A	XA1705	Cam Plate, B-Double	1
22	XBT69A	Locknut (1/2"-20)	2
23*	XA071511	Release Handle	1
23A*	RKS02104	Release Handle Assembly, B-Double	1
24	XB07291	Compression Spring	1
25	XBPW17321116	Washer (1-1/16"O.D x 9/16" I.D)	1
26*	XB07508	Cotter Pin (1/8" x 1-1/4")	1
27	XBT49	Washer (1-3/8"O.D x 9/16" I.D)	1
28	XB07610	Operation Tag	1
29	XBH38	Grease Nipple	2
30	XBC95	Hex Head Cap Screw (1/2"- 20 x 1-1/4")	2
31*	XE06356	Foot Pin	2
32*	XB16045P	Foot Bush, Poly	2
33	XB00113	Foot Bush, Slider Bracket Only	2
34*	XB0011P	Foot Bush, Poly, Komp	2
35*	XB16045J	Foot Bush, Compression	2
36	DOGBONE	Wear pads - pair (optional)	1
37*	XA2016	Foot Pin	2
38*	XB21S3751750	Roll Pin	2
39*	XD08908	Insert Pocket	2


* Only available as part of a kit.


Kit Part No.		Description	Qty	Item
RK351A		Standard Rebuild Kit pro-hitch 351		1-29
RK35504		Mini Rebuild Kit, includes Foot Pins & Bushes	1	3, 4, 11, 18
			2	1, 2, 2A, 22, 30, 31, 32
RK35504THK		Mini Rebuild Kit, Thick Yoke	1	3, 4, 11, 18, 31
			2	1, 2, 2A, 22, 30, 32
RK35503A	A	Jaw Replacement Kit, c/w Yoke	1	3, 4, 11, 18
			2	1, 2, 2A
RK0729282		Lock Pin Replacement Set	2	1, 2, 2A
RK2016		Holland Pin Pack	2	37, 38
RK06356		Holland Pin Pack pro-hitch 351	2	22, 30, 31
RK06356P	B	Pin & Bush Kit c/w Poly Bush	2	22, 30, 31, 32
RK06356J		Pin & Bush Kit c/w Compression Bush	2	22, 30, 31, 35
RK16045P		Holland Bush Pack, Poly	2	32
RK16045J		Holland Bush Pack, Compression	2	35
RK0011P		Holland Bush Pack (Poly) Komp	2	34
RK3542R		Secondary Lock Replacement Kit	1	12, 13, 14
RK07150R	C	Cam Plate Kit	1	15, 17, 18, 20, 21, 22
			2	16, 19
RK1706	D	Yoke Shaft Replacement Kit	1	5, 6, 7, 8, 9, 10
RK071511		Release Handle Kit	1	23, 24, 25, 26, 27
RK08908		Insert Pair, includes double black tape	2	39


SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


B-Double Options
23A
21A
37
38
5
6
7
8
9
10
11
15
16
17
18
21
19
20
19
16
22
26
12
13
14
23
27
24
25
30
31
32
33
34
35
28
29
29
39
36
4
3
2A
2
1
2
2A


A
4
11
18
3
1
2
2A


B
31
30
32
22


C
12
13
14


D
5
6
7
8
9
10


FW331 SPARE PARTS


Item	Part No.	Description	Qty
	XA331A	Complete Top Plate Assembly	1
1*	XA0729282	Lock Pin	2
2	XB07398	Circlip	2
2A	XBH38A	Grease Nipple 90°	2
3*	XA07296	Lock Jaw Set	1
4*	XB07628	Extension Spring	1
5	XBHNH34F	Locknut (3/4"16)	1
6*	XBPW1316112	Washer (1 1/2" O.D. x 13/16" I.D.)	1
7*	XB1127	Rubber Washer	1
8*	XB02312	Lock Adjustment	1
9*	XA1706	Yoke Shaft	1
10*	XB1505	Compression Spring	1
11*	XA07295	Yoke	1
	XA07295THK	Yoke, Thick (optional)	
12*	XB2149	Torsion Spring	1
13	XB21S5002750	Roll Pin (1/2" x 2-3/4")	1
14*	XA3542R	Secondary Lock, Right-hand	1
	XA3542L	Secondary Lock, Left-hand (optional)	1
15	XB1021	Hex Head Cap Screw (1/2"-20 x 1-3/4")	1
16*	XB08559	Washer (1-3/4" O.D. x 9/16"I.D)	2
17*	XA1029	Roller (1/2" I.D.)	1
18	XBCX58F134	Hex Head Cap Screw (5/8"-18 x 1-3/4")	1
19*	XB07431	Washer (2-5/8"x 21/32")	2
20*	XA1507	Roller (5/8" I.D.)	1
21*	XA07150R	Cam Plate, Right-hand	1
	XA07150L	Cam Plate, Left-hand (optional)	1
21A	XA1705	Cam Plate, B-Double	1
22	XBT69A	Locknut (1/2"-20)	2
23*	XA071511	Release Handle	1
23A*	RKS02104	Release Handle Assembly, B-Double	1
24	XB07291	Compression Spring	1
25	XBPW17321116	Washer (1-1/16"O.D x 9/16" I.D)	1
26*	XB07508	Cotter Pin (1/8" x 1-1/4")	1
27	XBT49	Washer (1-3/8"O.D x 9/16" I.D)	1
28	XB07610	Operation Tag	1
29	XBH38	Grease Nipple 90°	2
30	XBC95	Hex Head Cap Screw (1/2"- 20 x 1-1/4")	2
31*	XE06356	Foot Pin	2
32*	XB16045P	Foot Bush, Poly	2
33	XB00113	Foot Bush, Slider Bracket Only	2
34*	XB0011P	Foot Bush, Poly, Komp	2
35*	XB16045J	Foot Bush, Poly, Compression	2
36*	XD08908	Insert pocket	2
37*	XA2016	Foot Pin	2
38*	XB21S3751750	Roll Pin	2
39*	RK3311	Lube Plate Kit	1
40*	XB08931	Lock Nut 5/16"-18	18


* Only available as part of a kit.


Kit Part No.		Description	Qty	Item
RK351A		Standard Rebuild Kit pro-hitch 351		1-29
RK35504		Mini Rebuild Kit, includes Foot Pins & Bushes	1	3, 4, 11, 18
			2	1, 2, 2A, 22, 30, 31, 32
RK35504THK		Mini Rebuild Kit, Thick Yoke	1	3, 4, 11, 18, 31
			2	1, 2, 2A, 22, 30, 32
RK35503A	A	Jaw Replacement Kit, c/w Yoke	1	3, 4, 11, 18
			2	1, 2, 2A
RK0729282		Lock Pin Replacement Set	2	1, 2, 2A
RK2016		Holland Pin Pack	2	37, 38
RK06356		Holland Pin Pack pro-hitch 351	2	22, 30, 31
RK06356P	B	Pin & Bush Kit c/w Poly Bush	2	22, 30, 31, 32
RK06356J		Pin & Bush Kit c/w Compression Bush	2	22, 30, 31, 35
RK16045P		Holland Bush Pack	2	32
RK16045J		Holland Bush Pack, Compression	2	35
RK0011P		Holland Bush Pack (Poly) Komp	2	34
RK3542R		Secondary Lock Replacement Kit	1	12, 13, 14
RK1706		Yoke Shaft Replacement Kit	1	5, 6, 7, 8, 9, 10
RK07150R		Cam Plate Kit	1	15, 17, 18, 20, 21, 22
			2	16, 19
RK071511		Release Handle Kit	1	23, 24, 25, 26, 27
RK3311	C	Lube Plate Kit	1	39
	D		18	40
RK08908		Insert Pair, includes double black tape	2	36


SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.











SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


FW342 SPARE PARTS

Item	Part No.	Description	Qty
1*	XA0729282	Lock Pin	2
2	XB07398	Circlip	2
3*	XA07296	Lock Jaw Set	1
4*	XB07628	Extension Spring	1
5	XBHNH34F	Locknut 19.05mm (3/4"16)	1
6*	XBPW1316112	Washer 38 x 20mm (1 1/2" O.D. x 13/16" I.D.)	1
7*	XB1127	Rubber Washer	1
8*	XB02312	Lock Adjustment	1
9*	XA1706	Yoke Shaft	1
10*	XB1505	Compression Spring	1
11*	XA07295	Yoke	1
	XA07295THK	Yoke Thick Tips	
12*	XB2149	Torsion Spring	1
13	XB21S5002750	Roll Pin 12mm x 70 (1/2" x 2-3/4")	1
14*	XA3542R	Secondary Lock, Right-hand	1
	XA3542L	Secondary Lock, Left-hand (optional)	1
15	XB1021	Hex Head Cap Screw 12mm x 44 (1/2"-20 x 1-3/4")	1
16*	XB08559	Washer 44 X 14 (1-3/4" O.D. x 9/16" I.D.)	2
17*	XA1029	Roller 12mm (1/2" I.D.)	1
18	XBCX58F134	Hex Head Cap Screw 16 x 44 (5/8"-18x1-3/4")	1
19*	XB07431	Washer 67 X 17 (2-5/8"x 21/32")	2
20*	XA1507	Roller 16mm (5/8" I.D.)	1
21R*	XA07150R	Cam Plate, Right-hand	1
21L	XA07150L	Cam Plate, Left-hand (optional)	1
22	XBT69A	Locknut 12mm (1/2"-20)	1
23	RKE1707L2	Release Handle	1
24	XBH38A	Grease Nipple 90°	2
25	XB07610	Operation Tag	1
26*	XB10210	Pocket Insert	2
27	XBC95	Hex Head Cap Screw (1/2"- 20 x 1-1/4")	2
28*	XE06356	Foot Pin	2
29*	XB16045P	Foot Bush, Poly	2
30	XB00113	Foot Bush, Slider Bracket Only	2
31*	XB0011P	Foot Bush, Poly, Komp	2
32	2501510	Insert Set (pair) c/w fixings 8 or 9 Bolt	1
33*	XA2016	Foot Pin (old style)	2
34*	XB21S3751750	Roll Pin	2
	2501321	Bolt pack for item 32 (not shown)	

* Only available as part of a kit.

Kit Part No.		Description	Qty	Item
RK35504THK		Mini, Rebuild Kit, Thick Yoke	1	3, 4, 11, 18, 28
			2	1, 2, 22, 24, 27, 29
RK35503A	A	Jaw Replacement Kit, c/w Yoke	1	3, 4, 11, 18
			2	1, 2, 24
RK0729282		Lock Pin Replacement Set	2	1, 2, 35
RK10210	B	Foot Pocket Kit	2	26
RK06356		Holland Pin Pack pro-hitch 351	2	22, 27, 28
RK06356P		Pin & Bush Kit c/w Poly Bush	2	22, 27, 28, 29
RK2016		Holland Pin Pack	2	33, 34
RK16045P		Holland Bush Pack	2	29
RK0011P		Holland Bush Pack (Poly) Komp	2	31
RK3542R		Secondary Lock Replacement Kit	1	12, 13, 14
RK1706		Yoke Shaft Replacement Kit	1	5, 6, 7, 8, 9, 10
RK07150R	C	Cam Plate Kit	1	15, 17, 18, 20, 21, 22
			2	16, 19
RKE1707L2	D	Release Handle	1	23

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


Grease Tube
23
RKE1707L2
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21R
22
24
25
26
27
28
29
30
31
32
33
34
1
2
3
4
A
B
C
D
2A


FW3500 SPARE PARTS


Item	Part No.	Description	Qty
1*	XA1704	Lock Jaws	1
2*	XA1313H	Jaw Pin	2
2A	XBH38A	Grease Nipple 90	2
3*	XB5A	Circlip	2
4*	XA1703F	Yoke sub-assembly	1
5*	XB1505	Spring	1
6*	XA1706	Yoke Shaft	1
7*	XB02312	Lock Adjustment Tag	1
8*	XB1127	Rubber Washer	1
9*	XBPW1316112	Washer 1 1/2"O.D x13/16" I.D.	1
10	XBHNH34F	Locknut 3/4"-16	1
11	XBT49	Washer 1 3/4" O.D.x 9/16" I.D.	4
12	XA1707D	D-Ring Release Handle	1
12A*	XA102911	Roller 1/2" I.D.x 7/16" T.H.K.	1
12B	XB12FC5K134	Bolt 1/2"x 1 3/4" C.S.K. H.D.	1
12C	XB10281	Spring Handle	1
12D*	XBPW17321116	Washer	1
13*	XA1705C	Cam Plate	1
14*	XA1029	Roller	1
15	XB1021	Bolt 1/2"-20 x 1 3/4"	1
16	XBT69A	Locknut 1/2"- 20	1
17*	XB10301	Washer	2
18*	XA1507	Roller	1
19	XBCX58F134	Bolt 5/8"-18 x 1.3/4"	1
20*	XA3542R	Secondary Lock, Right Hand	1
21*	XB2149	Torsion Spring	1
22	XB21S5002750	Roll Pin	1
23*	XA3514	Lock Guard	1
24*	XB1044	Torsion Spring	1
25*	XA1055	Pin	1
26	XB16	Cotter Pin 1/8" x 1 1/2"	2
27	XBH38	Grease Nipple	2
33*	XA2016	Foot Pin	2
34*	XB21S3751750	Roll Pin	2
35*	XB0011P	Foot Bush, Poly, Komp	2
35A*	XB16045P	Foot Bush, Poly	2
35B*	XB00113	Foot Bush, Slider bracket only	2
35C*	XB16045J	Foot Bush, Compression	2
36	DOGBONE	DOGBONE wear pads - pair (optional)	1


* Only available as part of a kit.


Kit Part No.		Description	Qty	Item
RK63501		3500 Series Rebuild Kit		1-27
RK63504		3500 Series Mini Rebuild Kit	1	1, 4, 19
			2	2, 2A, 3, 33, 34, 35A
RK63503A	A	3500 Series Jaw Kit, c/w Yoke	1	1, 4, 19
			2	2, 2A, 3
RK1706	B	Yoke Shaft Replacement Kit	1	5, 6, 7, 8, 9, 10
RK2016		Holland Pin Pack	2	33, 34
RK2016P	C	Pin & Bush Kit c/w Poly Bush	2	33, 34, 35A
RK0011P		Holland Bush Pack, Poly Komp FW3540	2	35
RK16045P		Holland Bush Pack, Poly	2	35A
RK16045J		Holland Bush Pack, Compression	2	35C
RK3542R		Secondary Lock Replacement Kit	1	20, 21, 22
RK1705C		Cam Plate Replacement Kit	1	13, 14, 15, 16, 18, 19
			2	11, 17,
RK3514		Lock Guard Replacement Kit	1	23, 24, 25
			2	26
RK1707D	D	D-Ring Release Handle Kit 3500	1	12, 12A, 12B, 12C, 12D, 16
			2	11


SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


10
9
8
7
6
5
4
21
12D
12C
11
12
16
12A
12B
11
22
20
15
11
14
13
11
16
19
17
18
17
35A
35B
33
34
35C
35
27
36
1
3
2A
2
2A
23
24
25
26


A
4
3
19
1
2A
2


B
10
9
8
7
6
5


C
33
35A
34


D
12D
12C
11
12
16
12B
12A
11

FW70 - 72 SPARE PARTS


Item	Part No.	Description	Qty
1	FW70D	Top Plate, 50 mm Kingpin	1
	FW72D	Low Lube Top Plate, 50 mm Kingpin	1
1A	FW70O	Top Plate, 90 mm Kingpin	1
	FW72O	Low Lube Top Plate, 90 mm Kingpin	1
2	XBT60	Cotter Pin 1/4" x 2 1/2"	1
3	XA1016C	Lock Pin	1
4*	XB10A	Circlip	1
5*	XAFW108D	Jaw Pin	1
6*	XAFW104D	Lock Jaw set for 50 mm Kingpin	1
6A*	XAFW10403	Lock Jaw set for 90 mm Kingpin	1
7	XAFW128	Spring	1
8*	XB16	Cotter Pin 1/8" x 1"	1
9	XAFW78	Secondary Lock Release Handle	1
10	XAFW1372	Secondary Lock Arm	1
11	XB10282	Spring	1
12	XB1021	Hex Head Cap Screw (1/2"-20 x 1 3/4")	1
13	XBT49	Plain Washer	2
14	XBT69A	Hex Lock Nut	1
15	XA1005FH	Release Lever	1
16	XA1117H	Release Handle	1
17	XA1104	Plunger	1
18	XB1007	Compression Spring	1
19	XB04473	Jam Nut 1"- 14	1
20	XBCS58C312	Socket Head Cap Screw	1
21	XBHNH58C	Lock Nut 5/8"- 11	1
22	XD31231	Adjusting Wedge	1
23	XB403	Compression Spring	1
24	XB02949	Bushing	1
25	XBH38A	Grease Nipple 90°	1
25A	XB767C	Grease Nipple 90°	1
26	XBH38	Grease Nipple	2
27*	XB16049AUSP	Bush 70mm O.D. Poly Cast Foot	2
27A*	XB16049USAP	Bush 64mm O.D. Poly Fabricated Foot	2
27B*	XB0012P	Bush 51mm O.D. Poly Foot suit Komp	2
28*	XB2632	Foot Pin (prior to 1990)	2
29*	XE02759	Foot Pin (1990 onwards)	2
30	DOGBONE	Wear Pads - pair (optional)	1
31	XB21S5002750	Roll Pin 1/2"x 2 3/4"	2
32	XBT69A	Hex Lock Nut	2
33*	XBC95	Hex HD Bolt 1/2"-20 X 1 1/4"	2
36+	XA05768	Adjusting Block	1
37*	XB10327	Lock Washer 1"	1
38	XA071001	RH Release Handle	1
39	XA071002	Linkage Bar	1
40	XA071003	Cam Plate	1
41	XA071004	Bracket Cam Plate	1
42	XA071006	Retainer, Cable	1
43	XB14F114	Bolt 1/4" x 1 1/4"	2
44	XBHNH14F	Nut Nyloc 1/4"	2
45	FSP5323	Bolt 5/16" x 3/4"	1
46	XA071RS	RH Secondary Release Handle Assy	1
47*	XBSK6999	Cotter Pin	2
48*	XB2400123	Washer	1
49	XB2100637	Handle & Cable Assy.	1
50	XB2100629	Pulley	1
51	XB2100633	Frame Assy	1
52	2501550	Insert Set (Pair) c/w Fixings	1

* Only available as part of a kit.

\+ Used only for pre1990 FW upgrade

Kit Part No.		Description	Qty	Item
RK65014		Rebuild Kit, suit XA71DA15, 50 mm (2") FW70 Top Plate	1	2-25A
RK65015		Rebuild Kit, suit XA71OA15, 90 mm (3.5") FW70 Top Plate	1	2-25A
RK104O	A	90 mm (3.5") Lock Set	1	4, 5, 6A, 19, 25, 37
RK104D	A	50 mm (2") Lock Set	1	4, 5, 6, 19, 25, 37
RK65024		50 mm (2") Lock Set Kit, FW70	1	6, 10, 36, 37
RK650241		90 mm (3.5") Lock Set Kit, FW70	1	6A, 10, 36, 37
RK2632		Holland Pin Pack FW70 Series	2	28, 31
RK02759		Pin Pack	2	29, 32, 33
RK02759P	B	Pin & Bush Pack	2	27, 29, 32 ,33
RK02759UP		Pin & Bush Pack USA	2	27A, 29, 32 ,33
RK02759K		Pin & Bush Pack (Komp only)	2	27B, 29, 32 ,33
RK2632P	C	Pin & Bush Kit c/w Old Pin & Bush	2	27, 28, 31
RK2632UP		Pin & Bush Kit c/w Pin & 9USA Bush	2	27A, 28, 31
RK2632K		Pin & Bush Kit c/w Old Pin, Suit Older model FW70 (Komp only)	2	27B, 28, 31
RK16049AP		Bush Pack, to suit Cast Foot	2	27
RK16049UP		Bush Pack, to suit Fabricated Foot	2	27A
RK0012P		Holland Bush Pack, Poly (Komp only)	2	27B

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



Right Hand Release Handle Option
12
13
24
38
42
39
40
41
45
44
43
46 Right Hand Secondary Release Handle
47
48
49
50
51
16
12
13
15
24
14
30
1 or 1A
18
17
26
21
22
23
20
27
27A
27B
31
28
29
7
19
37
32
26
33
8
9
10
36
6 or 6A
52
25
25A
5
4
11
3
2
A
6 or 6A
19
25
4
5
37
B
27
29
32
33
C
27
31
28


G36 SPARE PARTS


(FORMERLY SK-S 36.20)

Item	Part No.	Description	Qty	Item	Part No.	Description	Qty
1	662 129 0038	Complete Top Plate Assembly	1	15	662 130 101	Bearing Insert	2
2	662 129 166	Operating Handle, complete (2a, 2b)	1	16	662 126 411	Tension Spring	1
2	662 129 146	Operating Handle	1	16A	662 129 317	Tension Spring	1
2A	662 129 158	Adjustment Plate	1	18	659 112 372	Cap Bolt	2
2B	659 112 371	Cap Bolt	1	19A	659 112 359	Hex. Bolt	7
3	662 129 383	Mounting Foot 128 mm	2	20	662 126 175	Washer	1
4	662 129 384	Mounting Foot 150 mm	2	21	659 100 027	Circlip	1
6	662 129 385	Mounting Foot 185 mm	2	21A	659 100 026	Supporting Washer	1
6	662 129 389	Mounting Foot 225 mm	2	23	662 129 606	Hex. Bolt	4
7	662 129 386	Mounting Foot 250 mm	2	24	659 120 380	Manufacturer's Plate	1
9	662 129 134	Coupler Jaw	1	26	662 126 173	Rivet	2
10	662 129 156	Locking Hook	1	26A	662 126 179	Rivet	1
10A	662 129 381	Stopper	1	27	662 126 223	Plastic Plug	4
10B	662 129 387	Locking Plate	1	29	659 144 106	Lubrication Tube	1
10C	662 129 374	Bush	1	30	662 129 380	Grease Plug	1
10D	662 129 600	Hex. Bolt	1	34	662 129 153	Automatic Latch	1
11	662 129 375	Pin	1	36	662 129 144	Guide Plate	1
12	662 129 377	Wear Ring	1	37	659 100 029	Lock Hut	1
13	662 114 110	Rubber Damper	2	38	662 111 202	Hex. Bolt	2
14	662 129 388	Tensioning Bar	2				


Kit Part No.		Description	Qty	Item
662 101 493	A+C	Repair Kit for Locking Mechanism and Bearings	1	9, 11, 12, 21
			2	13, 15, 18
			4	23
662 101 716	A	Repair Kit for Locking Mechanism, also suits RECOSS®	1	9, 11, 12, 21
			2	18
662 101 566	B	Repair Kit for Wear Ring	1	12
			2	18
662 101 473	C	Repair Kit for Bearings	2	13, 15
			4	23







SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



18
18
12
11
26
26
24
23
23
37
29
26A
23
23
1
30
2A
2
2B
2B
34
19A
19A
19A
27
27
15
16A
15
19A
36
10
20
19A
19A
10C
10B
10A
10D
3,4,6,7
3,4,6,7
13
13
14
14
9
21A
21
16
19A


G36L SPARE PARTS


(FORMERLY SK-S 36.20W)


Item	Part No.	Description	Qty
1	662 131 0028	Low Lube Top Plate (No Pads)	1
1	662 131 0038	Complete Low Lube Top Plate Assy	1
2	662 129 166	Operating Handle, complete (2a, 2b)	1
2	662 129 146	Operating Handle	1
2A	662 129 158	Adjustment Plate	1
2B	659 112 371	Cap Bolt	1
3	662 129 383	Mounting Foot 128 mm	2
4	662 129 384	Mounting Foot 150 mm	2
6	662 129 385	Mounting Foot 185 mm	2
6	662 129 389	Mounting Foot 225 mm	2
7	662 129 386	Mounting Foot 250 mm	2
9	662 131 107	Coupler Jaw	1
10	662 129 156	Locking Hook	1
10A	662 129 381	Stopper	1
10B	662 129 387	Locking Plate	1
10C	662 129 374	Bush	1
10D	662 129 600	Hex. Bolt	1
11	662 129 375	Pin	1
12	662 131 114D	Wear Ring, Plastic (Black)	1
12	662 129 377	Wear Ring, Steel	1
13	662 114 110	Rubber Damper	2
14	662 129 388	Tensioning Bar	2
15	662 130 101	Bearing Insert	2
16	662 126 411	Tension Spring for Lock Hook	1
16A	662 129 317	Tension Spring for Opening Handle	1
18	659 112 372	Cap Bolt	2
19A	659 112 359	Hex. Bolt	7
20	662 126 175	Washer	1
21	659 100 027	Circlip	1
21A	659 100 026	Supporting Washer	1
23	659 112 365	Cap Bolt	4
24	659 120 380	Manufacturer's Plate	1
26	662 126 173	Rivet	2
28	662 126 151	Hammer Rivet	1
29	659 144 106	Lubrication Tube	1
32	662 126 224	Grease Nipple	1
34	662 129 153	Automatic Latch	1
35	662 129 147	Safety Flange	1
36	662 129 144	Guide Plate	1
38	662 131 103	Wear Plate	2
39	662 130 114	Flanged Screw	12

Kit Part No.		Description	Qty	Item
662 101 516	A+C	Repair Kit for Locking Mechanism and Bearings	1	9, 11, 12, 21
			2	13, 15, 18
			4	23
662 101 718	A	Repair Kit for Locking Mechanism, also suits RECOSS®	1	9, 11, 12, 21
			2	18
662 101 534	B	Repair Kit for Plastic Wear Ring	1	12
			2	18
662 101 566	B	Repair Kit for Steel Wear Ring	1	12
			2	18
662 101 518	C	Repair Kit for Bearings	2	13, 15
			4	23
662 101 469	D	Repair Kit for Wear Plate	2	38
			12	39
662 131 150		Automatic Grease Dispenser		
662 131 151		Threaded Adaptor to suit Grease Dispenser		










SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


39
38
38
18
18
12
11
26
26
24
23
23
23
23
1
29
32
2A
2
2B
2B
34
19A
19A
19A
15
16A
15
19A
36
10
20
19A
19A
10C
10B
10A
10D
3,4,6,7
3,4,6,7
13
13
14
14
9
21A
21
16
19A

G36H SPARE PARTS

(FORMERLY SK-S 36.20H)

Item	Part No.	Description	Qty	Item	Part No.	Description	Qty
	662 132 294	Complete Top Plate Dual Height Assy.	1	29	659 144 142	Cap	4
	662 132 296	Complete Low Lube Top Plate Dual Height Assy	1	30	662 132 204	Washer	6
1	662 132 105	Base plate	1	31	662 132 214	Grease nipple	4
2	662 132 161	Locking pin (RHS)	1	32	662 132 208	Spring washer	4
3	662 132 162	Actual Rod	1	33	662 132 207	Hex. bolt	4
4	662 132 181	Left support 100 mm complete (25,29,31)	1	35*	662 132 198	Spacer set	1
5	662 132 182	Right support 100 mm complete (25,29,31)	1	38*	662 132 197	Spacer set	1
6	662 132 165	Rocker arm	1	39*	662 132 199	Spacer set	1
7	662 132 170	Locking lever	1	42	662 132 172	Spring lock	2
8	662 132 119	Toothed wheel	1	43	662 132 171	Spring lock	1
10	662 132 205	Splint pin	1	44	662 132 183	Left support 150 mm complete (25,29,31)	1
11	662 132 110	Shaft	2	45	662 132 184	Right support 150 mm complete (25,29,31)	1
12	662 132 111	Right locking plate	1	46	662 132 185	Left support 200 mm complete (25,29,31)	1
13	662 132 155	Left locking plate	1	47	662 132 186	Right support 200 mm complete (25,29,31)	1
14	662 132 120	Guide pipe	1	48	662 132 139	Bridge plate	1
15	662 132 206	Washer	8	49	662 132 156	Operating valve (3/2-way valve)	1
16	662 101 359	Hex. bolt	4	50	662 132 169	Pneumatic tube	1
17	662 132 202	Spring washer	2	52	662 132 173	Locking pin (LHS)	1
18	662 132 203	Hex. bolt	2	53	662 132 174	Flanged bush	5
19	662 132 211	Hex. bolt	2	54	659 112 381	Cap bolt	5
20	662 132 215	Locking nut	2	55**	659 115 313	Nut	3
23	662 132 132	Bush	4	56**	659 115 312	Nut	2
24	662 132 130	Bush	2	57	659 115 314	Nut (not shown)	1
25	662 132 146	Bush	4	60	(available on request)	Fifth wheel top plate assembly	1
26	662 132 200	Air bellows	1	61	662 132 292	Shaft	2
27	662 132 135	Air inlet adaptor	1	62	659 112 627	Hex. bolts	4
28	662 126 493	90° elbow connector	1	63	662 132 293	Spring pin	2

35* Set contains spacers D 116x80x0.5, D 116x80x1, D 116x80x2


38* Set contains spacers D 80x45,5x0.5, D 80x45,5x1, D 80x45,5x2


39* Set contains spacing washers D 65x40.5x0.5, D 65x40.5x1, D 65x40.5x2


** Component welded with unit

Kit Part No.		Description	Qty	Item
662 132 195	A	Repair kits for rocker bearing	2	11, 39*
			4	23
662 132 196	B	Repair kits for support bearing	2	19, 20, 24, 25, 30, 35*, 38*

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.







 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


G38 SPARE PARTS


(FORMERLY SK-HD 38.36)


Item	Part No.	Description	Qty	Item	Part No.	Description	Qty
1	662 111 254	Fifth wheel plate	1	16A	662 111 130	Tension spring	1
2	662 111 276	Operating handle	1	17	662 100 574	Carabiner hook with chain	1
4	662 111 293	Mounting bracket 150 mm	2	18	659 112 624	Cap bolt	4
6	662 111 256	Mounting bracket 190 mm	2	19	662 126 449	Pin	1
9	662 111 249	Coupler jaw, 2"	1	19A	659 112 359	Hex. bolt	3
9	662 111 247	Coupler jaw, 3½"	1	19B	659 112 358	Cap bolt	3
10	662 111 239	Locking hook	1	20	662 126 175	Washer	2
10A	662 111 317	Cam	1	22	662 126 224	Grease nipple	2
10B	659 144 106	Lubrication tube assembly	2	23	659 112 510	Hex. bolt	8
11	662 111 344	Pin	2	24	659 120 380	Type plate	1
12	662 111 342	Wear ring 2"	1	26	662 126 173	Rivet	2
12	662 111 343	Wear ring 3½"	1	28	662 126 151	Hammer rivet	1
13	662 111 259	Rubber damper	2	32	662 111 314	Fork	1
14	662 111 258	Tensioning bar	2	35	662 111 281	Safety flange	1
15	662 111 264	Bearing	2		662 111 345	Tube clamp (not shown)	1
16	662 126 410	Tension spring	1		662 111 346	Plug for lubrication tube (not shown)	1


Kit Part No.	Description	Qty	Item
662 101 706 A+C	2" Repair kit for locking mechanism and bearings	1	9,12
		2	11,13,15
		4	18
		8	23
662 101 707 A+C	3½" Repair kit for locking mechanism and bearings	1	9,12
		2	11,13,15
		4	18
		8	23
662 101 708 A	2" Repair kit for locking mechanism	1	9,12
		2	11
		4	18
662 101 709 A	3½" Repair kit for locking mechanism	1	9,12
		2	11
		4	18
662 101 710 B	2" Repair kit for wear ring	1	12
		4	18
662 101 711 B	3½ "Repair kit for wear ring	1	12
		4	18
662 101 457 C	2" Repair kit for bearings	2	13,15
		8	23
662 101 457 C	3½" Repair kit for bearings	2	13,15
		8	23
662 101 704	Conversion kit from 3½" to 2"	1	9,12,24
		2	26
		4	18
662 101 705	Conversion kit from 2" to 3½"	1	9,12,24
		2	26
		4	18

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


11
18
23
11
12
22
19b
23
17
35
28
26
24
26
23
1
16
19a
10b
15
15
4,6
10
4,6
10a
13
19b
13
32
20
14
14
19
2
16a
9
20
19a
19a


A
11
9
18
12


B
18
12


C
15
13
23

G38D SPARE PARTS

(FORMERLY SK-HD 38.36G)


Item	Part No.	Description	Qty
1	662 111 261	Fifth wheel plate	1
2	662 111 276	Operating handle	1
9	662 111 247	Coupler jaw assembly 3½"	1
9	662 111 249	Coupler jaw assembly 2"	1
10	662 111 239	Locking hook assembly	1
10A	662 111 317	Cam complete	1
10B	659 144 106	Lubrication tube assembly 2 659	2
11	662 111 347	Pin	2
12	662 111 343	Wear ring 3½"	1
12	662 111 342	Wear ring 2"	1
16	662 126 410	Tension spring	1
16A	662 111 130	Tension spring	1
17	662 100 574	Carabiner hook with chain	3
18	659 112 624	Cap screw	4
19	662 126 449	Pin	1
19A	659 112 359	Hex. bolt	2
20	662 126 175	Washer	1
22	662 126 224	Grease nipple	2
24	659 120 380	Type plate	1
26	662 126 173	Rivet	2
28	662 126 151	Hammer rivet	1
35	662 111 281	Safety flange	1
55	662 111 297	Operating handle	2
56	662 111 296	Stopper	2
57	662 100 371	Counter sink screw	4
58	662 111 298	Locking plate	2
59	662 126 155	Cap bolt	2
70	662 111 299	Mounting bracket	2
71	662 111 303	Rocker arm	1
72	662 111 306	Trunnion pin	1
73	662 111 300	Bearing sleeve	4
74	662 111 301	O-ring	6
75	659 122 075	Spacing washer	4
76	662 111 304	Plate	1
77	662 111 307	Counterplate	1
78	662 111 305	Locking plate	1
79	662 111 308	Locking plate	2
80	662 111 203	Hex. bolt	4
81	659 112 320	Hex. bolt	2
82	662 111 302	Circlip	2
83	659 122 074	Spacing washer	2
84	662 111 311	Cylindrical notched pin	8
85	662 111 312	Grease nipple assembly	1
86	662 126 224	Grease nipple	6
	662 111 096	Complete base assembly (not shown)	


Kit Part No.		Description	Qty	Item
662 101 708	A	Repair kit for locking mechanism 2"	1	9,12
			2	11
			4	18
662 101 709	A	Repair kit for locking mechanism 3½"	1	9,12
			2	11
			4	18
662 101 487	B	Repair kit for bearing sub-assembly 2"	1	78,79,81,84,85,86
			2	73,74,80
662 101 487	B	Repair kit for bearing sub-assembly 3 ½"	1	78,79,81,84,85,86
			2	73,74,80
662 111 313	C	Locking mechanism kit	2	55,56,58,59
			4	57
662 101 704		Conversion kit 3½" to 2"	1	9,12,24
			2	26
			4	18
662 101 705		Conversion kit 2" to 3½"	1	9,12,24
			2	26
			4	18


SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


G38D SPARE PARTS

(FORMERLY SK-HD 38.36G)










FW2080 SPARE PARTS



Item	Part No.	Description	Qty
1	N/A	Fifth wheel top plate, 2" kingpin	1
1A	N/A	Fifth wheel top plate, 3 1/2" kingpin	1
2(a)	XB5	Cotter pin 1/4"x 2"	1
3	XA1016C	Lock pin	1
4(b)	XBT60	Cotter pin 1/4"x 2 1/2"	1
5*	XAFW108D	Lock pin	1
6*	XAFW104D	Lock set for 2" kingpin	1
6A*	XAFW10403	Lock set for 3 1/2" kingpin	1
7	XAFW128	Spring	1
8*	XB16	Cotter pin 1/8" x 1"	1
9	XAFW138	Release handle	1
10	XAFW1372	Secondary lock arm	1
11	XB10282	Spring	1
12	XB1021	HHCS 1/2"-20 x 1 3/4"	1
13	XBT49	Plain washer	1
14	XBT69A	Hex lock nut 1/2"-20	1
15	XA1005FDS	Release lever	1
16	XA111713	Release handle	1
17	XA1104	Plunger	1
18	XB1007	Compression spring (red)	1
19	XB04473	Jam nut 1"-14	1
20	XBCS58C312	Socket head cap screw	1
21	XBHNH58C	Lock nut 5/8"-11	1
22	XD31231	Adjusting wedge	1
23	XB403	Compression spring	1
24	XB02949	Bushing	1
25	XB767C	Grease nipple 90°	2
26+	XA05768	Adjusting block	1
27	XB7801	Hex Slotted Nut 2 1/4"-4 1/2" socket	1
28	XB7811	Cotter Pin 5/16" x 3 1/2"	1
29	XA782	Washer	1
30	XBH38	Lube Fitting	7
31	XA05952	Rocker arm only	1
31A	XA05952A	Rocker arm sub-assembly	1
32	XA1595	Bracket only	2
32A	XA1595A	Bracket sub-assembly	2
33	XA1596	Cast iron bushing	2
34	XA1597	Collar	1
35	XB382	Cotter pin 3/16" x 1 1/4"	4
36	XA15842	Pin	2
37	XB70	Rubber cushion	2
38	XA06110	Cast iron bushing	1
39	XA15891	Bolt hub assembly	1

* Only available as part of a kit.


** Used only for pre 1990 FW's.

(a) Replacement part XBT60

(b) Replacement part XB10A

Kit Part No.	Description	Qty	Item
RK650241**	3.5" Lock Set Upgrade Kit	1	6, 10, 28
RK104O	3.5" Jaws USA	1	5, 6A, 19, XB10A & XBH38A (not shown)
RK65013	Rebuild Kit, XA-2081, 90 mm (3 1/2")	1	3 to 24 & 30
RK65012	Rebuild Kit, XA-2081, 50 mm (2")	1	3 to 24 & 30

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.




Item	Part No.	Description	Qty	Item	Part No.	Description	Qty
1		Fifth Wheel top plate - 90mm kingpin	1	20	XB2001	Socket head cap screw	1
2	XB5	Cotter pin 1/4″ x 2″	1	21	XBHNH58C	Lock Nut 5/8″ - 11	1
3	XA1016C	Lock pin	1	22	XD31231	Adjustment wedge	1
4	XBT60	Cotter pin 1/4″ x 2.5″	1	23	XB403	Compression spring	1
4A*	XB10A	Circlip	1	24	XB02949	Bushing	1
5	XAFW108D1	Lock pin 90 mm	1	25	XB767C	Lube fitting (45°)	2
5A*	XAFW108D	Lock pin 90 mm	1	25A*	XBH38A	Lube fitting (90°)	1
6A*	XAFW10403	Lock set for 90 mm kingpin	1	26	XBH38	Lube fitting	2
7	XAFW128	Spring	1	27	XAFW106	Trunnion shaft	1
8	XB16	Cotter pin 1/8″ x 1″	1	28	XAFW113D	Trunnion shaft clamp	2
9	XAFW138	Secondary lock release handle	1	29	XB03371	Shims	4
10	XAFW1372	Secondary lock arm	1	30	XB772	Hex bolt 3/4″ - 16 x 3″	2
11	XB10282	Spring	1	31	XBPW1316112	Washer	2
12	XB2083	Hex head cap screw 1/2″ - 20x1.75″	1	32	XB769	Nut 3/4″ - 16	2
13	XBT49	Plain washer	1	33	XAFW103	Trunnion shaft bracket	2
14	XBT69A	Hex lock nut1/2″ - 20	1	34	XAFW102	Mounting bracket - 270mm	2
15	XA1005FDS	Release lever	1	35	XAFW107	Bushing	2
16	XA111713	Release handle	1	36	XB08914	Bolt 7/8″-14x4″ After 8/97 check hole size	8
17	XA1104	Plunger	1	37	XBT307	Lock nut 7/8″-14 After 8/97 check hole size	8
18	XB1007	Compression spring (red)	1	36A	XBFW109	Hex head cap bolt 1- 8 x 4″ (Prior 8/97)	8
19*	XB04473	Jam nut 1″ - 14	1	37A	XBC41	Lock nut 1″- 8 (Prior 8/97)	8

* Only available as part of a kit.

Kit Part No.		Description	Qty	Item
RK104O	A	90 mm (3.5″) Lock Set	1	4A,5A,6A,19,25A


FWAL SPARE PARTS



Item	Part No.	Description	Qty	Item	Part No.	Description	Qty
	FWAL	Complete Top Plate Assembly	1	16	XB10294	Washer, 1/2", stainless steel	2
1	XA10487P	Hook	1	17	XA11083	Mount, Spring	1
2	XA10486EP	Lock	1	18	XA11082	Support S/A, handle	1
3	XA10483AL	Cam, release	1	19	XD10923	Insert, pocket (qty 2)	2
4	XA11038	Plate, bottom	1	20	XE06356	Pin, bracket	2
5	XA10681	Handle s/a, release	1	21	XBT69A	Nut, lock 1/2"-20	2
6	XB10489P	Spring, extension	1	22	XBC95	HHCS 1/2"-20x 1-1/4"	2
7	XB10490P	Spring, extension	1	23	XD10680P	Insert, front lock	1
8	XB058431P	Spring, extension	1	24	XB027241	LHSCS, M10 x 1.5 x 16 mm	4
9	XB105631P	Spring, extension	1	25	XA10706P	Keeper, insert	1
10	XBHCSM1650Z	HHCS M16 x 50 mm	4	26	XA103643ALP	Pin, adjusting	1
11	XBLWM16Z	Washer, lock M16	3	27	XB05855	Ring, retaining 1-1/8"	1
12	XB08931	Nut, lock 5/16"-18"	18	28	XA06344AL	Pin, lock"	1
13	RK3311	Lube plate kit	1	29	XB08905	Ring, retaining 1-3/8"	1
14	31039	HHCS, M12 X 1.75 X 40 mm LG.	1		2501970	Adjusting bolt cap for item 24	1
15	XA10810	Bushing, release cam	1			(Not shown. Required for some models only)	

Kit Part No.		Description	Qty	Item
RK3311	A	If lube plates are needed	1	13
			18	12
RKAL11078	B	Lock repair kit	1	1, 2, 26, 27, 28 & 29

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



Item	Part No.	Description	Qty	Item	Part No.	Description	Qty
1	XA-10486-KTL	Lock	1	18	XA10974	Bushing	1
2	XA-10487-KTL	Hook	1	19	32008	Lock Nut M10	1
3	XB-05843-1-KTL	Extension Spring	1	17	33023	Washer	2
4	XA-10364-3-KTL	Adjuster Pin	1	18	XA10974	Bushing	1
5	XB-02724-M	Location Bolt	1	19	32008	Lock Nut M10	1
6	XB-05859	Shim Washer	As Req'd	20	XB10489KTL	Spring - Inner	1
7	XA-06344-KTL	Lock Pin	1	21	XB10490KTL	Spring - Outer	1
8	XB-5	Cotter Pin	2	22	XB10210	Pocket Insert	2
9	XA-10483-E-KTL	Cam, Release	1	23	XB16045P	Foot Bush, Poly	2
10	XA-104851KTL	Pin, Hook	1	23A	XB10605	Rubber cushion	4
11	XBHCSM1240Z	Bolt	1	24	XE06356	Bracket Pin	2
12	XA10810	Bush	1	25	XBC95	Bolt	2
13	XB08559	Washer	2	26	XBT69A	Locknut	2
14	XB10563KTL	Spring	1	27	XB2007HLISO	ISO Bolt on foot - 85 mm	2
15	XA10681	Release Handle	1		XB2007HTISO	ISO Bolt on foot - 107 mm	2
15A	XA10681A	Release Handle (bolt on)	1		XB2007HFISO	ISO Bolt on foot - 132 mm	2
16	XB76027	Bolt M10 x 40	1		XB2007HAISO	ISO Bolt on foot - 140 mm	2
17	33023	Washer	2		XB2007HXISO	ISO Bolt on foot - 174 mm	2


 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

ILS SLIDER SPARE PARTS

Item	Part No.	Description	Qty
1	XBHCSM1660Z	Bracket Bolts M16 x 60	6
2	XBLWM16A	Lock Washer	6
3	XA106061	Slide Bracket Plate	1
4	XD106891L	Slide Bracket LH - Low	1
	XD106892L	Slide Bracket LH - Medium	1
	XD106893L	Slide Bracket LH - High	1
5	XD106891R	Slide Bracket RH - Low	1
	XD106892R	Slide Bracket RH - Medium	1
	XD106893R	Slide Bracket RH - High	1
6	XB10605	Bracket Bushes	4
7	XA106041	Locking Plunger	2
8	XA107111	Stop Block	2
9	XA10700	Air Cylinder	1
10	XB2083	Bolt	2
11	XBT69A	Locknut	2
12	XB10809	Air Line Tubing	1
13	XB10815	Push-in Connector	1
14	XB10816	Air Line Clamp	1
15	XB10814	Thread Cutting Screw	2
16	XA10736	Air Line Stand-off Clip	1
17	XB10748	Quick-connect Union	1
18	XAE2	Slide Plate - 610 mm travel	1
	XAE3	Slide Plate - 915 mm travel	1
	XAE4*	Slide Plate - 1220 mm travel	1
	XAE5*	Slide Plate - 1525 mm travel	1

* Optional as special order only.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


6
4
1
1
2
2
17
16
6
7
3
8
15
18
12
14
13
10
10
11
11
9
6
7
5
1
2
1
8
6
2

V20 SLIDER SPARE PARTS

(FORMERLY SK-V 20)

Item	Part No.	Description	Qty
1a	662 132 100	Carriage complete (mounting width 780 - 900)	1
1b	662 132 102	Carriage complete (mounting width 900+)	1
2*	662 205 014	Slotted base rail left (without predrilled holes)	1
2*	662 205 016	Slotted base rail left (Iveco)	1
2*	662 205 018	Slotted base rail left (Daimler Chrysler)	1
2*	662 205 022	Slotted base rail left (Scania/DAF)	1
2*	662 205 024	Slotted base rail left (MAN)	1
2*	662 205 030	Slotted base rail left (Volvo Standard)	1
2*	662 205 033	Slotted base rail left (Volvo light, RVI)	1
2*	662 206 050	Slotted base rail left (Australia/NZ)	1
3*	662 205 015	Slotted base rail right (without predrilled holes)	1
3*	662 205 017	Slotted base rail right (Iveco)	1
3*	662 205 019	Slotted base rail right (Daimler Chrysler)	1
3*	662 205 023	Slotted base rail right (Scania/DAF)	1
3*	662 205 025	Slotted base rail right (MAN)	1
3*	662 205 031	Slotted base rail right (Volvo Standard)	1
3*	662 205 034	Slotted base rail right (Volvo light, RVI)	1
3*	662 206 051	Slotted base rail right (Australia/NZ)	1
4**	662 205 090	Cross bar (Scania 6x2)	2
4**	662 205 091	Cross bar (MAN 6x2)	2
4**	662 205 092	Cross bar (Volvo)	2
5a**	662 205 032	Stop bar front (mounting width 780 - 900)	1
5b**	662 206 052	Stop bar front (mounting width 900+)	1
6a**	662 205 012	Stop bar back (mounting width 780 - 900)	1
6b**	662 206 053	Stop bar back (mounting width 900+)	1
7	662 205 035	Locking finger	2
8	662 205 036	Bush	3
9	659 112 628	Hex. Bolt	2
10	662 205 038	Locking plate	2
11	662 205 039	Locking lever left	1
12	662 205 040	Locking lever right	1
13	662 205 041	Tension spring	2
14	662 205 042	Pivot arm	1
15	659 112 632	Hex. bolt	1
16	662 132 215	Nut	5
17	659 112 629	Hex. bolt	1
18	659 115 514	Nut	1
19	662 101 472	Washer	1
20	662 205 048	Operating handle	1
21	662 205 049	Tension spring	1
22	662 205 050	Lever support (90mm)	1
23	659 112 630	Hex. bolt	5
24	662 132 204	Washer	5
25	662 205 054	Counter sink screw	12
26	659 130 026	Carabiner hook	1
27	662 126 184	Splinter pin	1
28	659 112 631	Hex. bolt	8
29	659 115 308	Nut, special	12
30	650 110 217	Pin	1
31	659 130 027	Chain for carabiner hook	1
32	662 126 159	Washer	8
33	662 205 051	Lever support (180mm)	1
34	659 144 155	3/2-valve with push button	1
35	659 144 158	Connector (1/8" swivel - 6mm - self sealing thread)	3
36	659 144 159	Connector (T-piece - 6mm)	1
37	659 144 162	Pneumatic Tube (6x1 PHLY-10m)	1
38	659 120 421	Sticker	1
39	659 205 070	Pneumatic Cylinder Assembly	1
40	659 144 156	Connector (1/4" - 6mm - self sealing thread)	1
41	659 144 157	Connector (1/4" swivel - 6mm - self sealing thread)	2
42	662 205 063	Locking Lever Left	1
43	662 205 064	Locking Lever Right	1
44	662 205 065	Angle	1
45	662 205 067	Spacer	2
46	659 112 383	Hexagon Socket Screw (M14x35 10.9)	4
47	659 112 371	Hex. Bolt (M8x16 8.8)	2
48	662 132 213	Washer (A8.4)	2
49	659 144 154	Spiral Tube (6x1 - PHL (Y)	1
50	662 205 037	Pneumatic Adapter (not shown)	1

* Items 2 and 3: Slotted base rails in the standard version without holes and only available as set (left and right models)

** Scania 6x2 and MAN 6.2 models: Items 5a and 6a replaced by 2x item 4 cross bar


** Volvo model: Item 5b and 6b replaced 2x item 4 cross bar


Kit Part No.		Description	Qty	Item
662 101 736	A	Repair Kit for Locking System	2	7, 8, 9, 10
662 101 801	B	Slider Conversion Kit , (Converts from Manual to Air Operation)	1	39, 40, 42, 43, 44, 23, 16, 49, 50
			2	41, 45, 24, 47, 48,
			4	46
662 101 802	C	Pneumatic Installation Kit	1	34, 36, 37, 38
			3	35


SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


V20 SLIDER SPARE PARTS

(FORMERLY SK-V 20)









KOMPENSATOR SPARE PARTS

Item	Part No.	Description	Qty
1		Kompensator assembly (N/A as a spare part)	
2	XA0024	Shoes Subassembly - includes item 3	2
3	XBH38F	Grease fitting	2
4*(a)	XB0011P	Cushion	2
4A*(b)	XB0012P	Cushion	2
5	XB0009	Cushion	2
6	XA12842	Washer	2
7	XB01923	Spring	2
8	XA39	Tie bar	1
9	XBC59	Hex nut 1/2-13	4
10	XBT45	Lock washer	4
11*	XA0014	Shim (as required)	2
12	XA01997	Bearing plate - right hand	1
13	XA01998	Bearing plate - left hand	1
14	XBH38C	45 Grease fitting	4
15	XBH38	Grease fitting	4
16	RK01370	Lockout Kit	1
17	XB0128	Dust Cover Set (Optional)	1
18	XE06356	Foot Pin	2
19	XBC95	Hex Head Cap Screw (1/2"- 20 x 1-1/4")	2
20	XBT69A	Locknut (1/2"-20)	2
21	XA2016	Foot Pin	2
22	XB21S3751750	Roll Pin	2
23	XE02759	Foot Pin (1990 onwards)	2
24	XB0012P	Bush 51mm O.D. Poly Foot suit Komp	2
25	XB2632	Foot Pin (prior to 1990)	2
26	XB21S5002750	Roll Pin 1/2"x 2 3/4"	2


* Only available as part of a kit


(a) Bushing used in conjunction with FW3500 & FW351 fifth wheels.


(b) Bushings used in conjuntion with FW70 fifth wheels.


Kit Part No.		Description	Qty	Item #
RK06356K	A	Pin & Bush Kit c/w Bush to Suit FW351, FW342 & FW331	2	4, 18, 19, 20
RK2016KP		Pin & Bush Kit c/w Old Pin & Poly Bush to Suit FW3500	2	4, 21, 22
RK02759K	B	Pin & Bush Kit to Suit FW70	2	19, 20, 23, 24
RK02632K		Pin & Bush Kit c/w Old Pin to Suit early FW70	2	24, 25, 26
RK0011P		Holland Bush Pack FW3540	2	4
RK0012P		Holland Bush Pack FW7040	2	4A
RK40IZ	C	Kompensator Rebuild Kit	1	12,13
			2	4, 5, 7
			4	11
RK01370	D	Lockout Kit	1 set	
BP0014		Shim Bulk Pack	10	11


SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.


17
17
9
10
11
12
9
10
9
10
11
13
3
4* or 4A**
5
6
7
2
8
15
15
14
14
15
15
16
1
5
6
7
4* or 4A**
2
3
18
20
25
26
24
23
20
19
21
22
4



A
19
20
4
18


B
24
23
20
19


C
11
12
13
5
6
4
7


D
16

V. ORLANDI E 40 SPARE PARTS




Item	Part No.	Description
1	RG00034	Protection boot
2	RG00064	Split pin
4	RG00175	Rear plate
5a	RG00189	Bush plates front rear
5b	RG00189	Bush plates front rear
6	RG00149	Top bush
7	RG00192	Coupling flange
8	RG00183	Bush kit
9	RG00301	Tie rod kit
10	RG00302	Lower bush
11	RG00303	Lock pin and bush kit
12	RG00180	Self centre spring and lower plate kit
13	RG00304	Coupling jaw
14	RG00305	Coupling locking pin
15	RG00306	Pin lever
16	RG00307	Bell mouth lock out kit

Item	Part No.	Description
17	RG00308	Mechanism spring
18	RG00309	Security device
19	RG00310	Cone spring kit
20	RG00311	Mechanism housing
20s	RG00355	Housing mechanism unit for remote indicator
21	RG00312	Kit mechanism screws
22a	RG00186	Type A handle (up)
22b	RG00187	Type B handle (down)
23a	RG00313	Mechanism assembly A type (up) handle
23as	RG00353	Mechanism assembly A for indicator
23b	RG00314	Mechanism assembly B type (down) handle
23bs	RG00354	Mechanism assembly B for indicator
24	RG00132	Mounting bolt kit (4)
25	RG00315	Wear pad
26	RG00316	Lower bush

s: predisposition to open/close remote indicator.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.




Item	Part No.	Description	Item	Part No.	Description
1	RG00034	Protection boot	14	RG00188	Lifting lever
2	RG00064	Split pin	15	RG00179	Bell mouth lock out kit
3	RG00421	Rear plate	16	RG00178	Mechanism springs (2)
4b	RG00422	Front bush plate	17	RG00181	Security device (lock indicators) (2)
5	RG00088	Top bush	18	RG00091	Cone spring
6a	RG00423	Coupling flange	19	RG00191	Mechanism housing bare
6b	RG00424	Coupling flange & plate (e 520 type only)	20	RG00185	Head cap screw & s/washer kit(4)
7	RG00425	Bush kit	21a	RG00186	Type A handle (up)
8	RG00426	Tie rod kit	21b	RG00187	Type B handle (down)
9m	RG00427	Lower bush kit c/w metal wear pad	22a	RG00431	Mechanism assembly type A handle
9p	RG00428	Lower bush kit c/w plastic wear pad	22b	RG00432	Complete head assy type B handle
10	RG00429	Lock pin and bush kit	23	RG00132	Mounting bolt kit (4)
11	RG00529	Self cantering spring kit - new style replaces RG00180	24m	RG00269	Wear pad, metal
12	RG00193	Coupling jaw (bell mouth)	24p	RG00270	Wear pad, plastic
13	RG00430	Coupling locking pin	25	RG00433	Lower bush

m: Metal


p: Plastic

V. ORLANDI EH 523 SPARE PARTS




Item	Part No.	Description	Item	Part No.	Description
1	RG00034	Protection boot	15	RG00236	Lower bush
2	RG00064	Split pin	16	RG00232	Lock pin and bush
3	RG00175	Rear plate	17	RG00231	Coupling locking pin
4	RG00528	Tie rod bush rubber	18	RG00298	Lifting lever
5	RG00434	Coupling flange	19	RG00178	Mechanism springs (2)
5a	RG00435	Coupling flange bush	20	RG00181	Security device (lock indicators) (2)
6	RG00436	Coupling flange plate	21	RG00091	Cone spring
7	RG00173	Front bush plate	22	RG00191	Mechanism housing bare
8	RG00366	Gas strut	23	RG00367	Damper mounting bracket
9	RG00437	Tie rod damper mounting bracket	24	RG00187	Type B handle (down)
10	RG00526	Tie rod pivot bush	25	RG00438	Complete damper mounting kit
11	RG00525	Tie rod kit c/w steel bush	26	RG00365	Mechanism housing bolts
12	RG00088	Top bush	27	RG00229	Mechanism assembly a type handle
13	RG00002	Coupling jaw pivot bolt	28	RG00132	Mounting bolt kit (4)
14	RG00243	Bell mouth			

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



Item	Part No.	Description	Item	Part No.	Description
1	RG00034	Protection boot	13	RG00231	Coupling locking pin
2	RG00064	Split pin	14	RG00298	Lifting lever
5	RG00297	Rear plate	15	RG00178	Mechanism springs (2)
6	RG00241	Bush (2 required)	16	RG00091	Cone spring
7	RG00242	Tie rod kit	17	RG00181	Security device (lock indicators) (2)
8	RG00135	Rear coupling flange	18	RG00185	Head cap screw & s/washer kit (4)
8a	RG00134	Front coupling flange	19	RG00191	Mechanism housing bare
9	RG00209	Coupling flange screw	20a	RG00186	Type A handle (up)
10	RG00088	Top bush	20b	RG00187	Type B handle (down)
11	RG00236	Lower bush	21a	RG00229	Mechanism assembly A type handle
12	RG00232	Lock pin and bush kit	21b	RG00230	Mechanism assembly B type handle

V. ORLANDI GA 38 SPARE PARTS



Item	Part No.	Description	Item	Part No.	Description
1	RG00254	Pin	4	RG00257	Operating handle
2	RG00255	Mechanism spring	5	RG00258	Kit, spring and cap
3	RG00256	Lifting lever	6	RG00335	Security device

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.



TF0237



TF0110



TLN5001



TLN1500



TF042291



GL0303000



662 102 031
662 102 041



662 131 150
662 131 152



659 920 032
659 920 033

FW Series

Part Number	Description
TF0237	Jaw Test Plug 50mm
TF0110	Kingpin Gauge 50-90mm (Stainless Steel)
TLN5001	Jaw Tester 50mm (suit FW3542)
TLN1500	Jaw Tester 90mm
TF042291	Fifth Wheel Rebuild Stand (suit all FW models)
TBAR	Fifth Wheel Lock Tester (50mm only)
XB401ZLMK	Lubrication Manifold Kit (suit kompensator)
XB351LMK	Lubrication Manifold Kit (suit pro-hitch 351)
XB70LMK	Lubrication Manifold Kit (suit FW70)
GL0303000	Anti-theft Lock
GL0303000KA5	Set of Five Anti-theft Lock keyed alike (more than five keyed alike available on request)

G36 & G38 Series

Part Number	Description
662 102 031	Anti-theft Lock Assembly 50mm
662 102 041	Anti-theft Lock Assembly 90mm
662 131 150	Grease Cartridge 125ml
662 131 151	Grease Cartridge Adaptor
662 131 152	Grease Cartridge Connecting Band
659 920 032	Reference Gauge 50mm
659 920 033	Reference Gauge 90mm

NOTES

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

EFFECTIVE MAY 2013

1.Interpretation

"Company" means SAF-HOLLAND (Aust.) Pty. Ltd. "Customer" means the person to or for whom Goods are supplied by the Company. "Delivery Date" has the meaning given in clause 4(b). "Goods" means the goods, which are the subject matter of these terms. "Implied Warranties" mean any term, condition or warranty implied law.

2. Operation

(a) All orders for and supply of Goods will be governed by these conditions of sale.

(b) A Customer accepts these conditions of sale by placing an order with the Company

3. Orders

(a) The Customer must ensure that any order for Goods is placed by completing the order forms approved by the Company from time to time, and submitting the order form to the Company in the manner prescribed.

(b) The Company is not obliged to accept any order for Goods. The Company will use reasonable endeavours to notify the Customer if an order is not accepted.

4. Delivery & Risk

(a) The Company will aim to have the Goods available for delivery in a reasonable timeframe. The Customer acknowledges some Goods are not kept as stock lines. It is the Customer's responsibility to check lead times for Goods they have ordered. Acts of God, industrial strikes, unrest, administrative measures and other unpredictable, inevitable and severe occurrences beyond the control of the Company will relive the Company of its liability for the duration of the disturbance and to the extent of its impact.

(b) Delivery will take place at the time the Company physically provides the Goods to the Customer or to a carrier (whether engaged by the Company or by the Customer) ("Delivery Date").

(c) Risk in the Goods will pass to the Customer on and from the Delivery Date.

(d) If the Customer is in breach of any obligation, the Company has the right not to fulfill any unexecuted part orders and the Customer will not be required to pay for the unexecuted part order.

(e) All delivery costs will be borne by the Customer, unless otherwise negotiated.

5. Prices and Payment

(a) Subject to clause 5(f), payment of the full purchase price for the Goods is due and payable within 30 days of the date specified on the invoice. The prices charged for the Goods will be those set out on the price list as at the date of order.

(b) The Company may change the price list at anytime and the amended price list will apply to an order received by the Company after the date of change. It is the Customer's responsibility to check the price list (available upon request from the Company) for any changes before placing an order with the Company.

(c) Unless stated to the contrary, prices do not include taxes, duties, levies, imports or charges for which the Customer will be responsible.

(d) If partial delivery is made, the Customer may pay for the proportionate amount of the order.

(e) If the Customer fails to pay the Company within 30 days of the date specified in the invoice, then in addition to and without prejudice to any other right or remedy, the Company may:

terminate the Customer's authorisation to order Goods from the Company;

withhold all further deliveries of Orders placed by the Customer until the amounts owing by the Customer has been paid;

reject further Orders placed by the Customer;

take legal action against the Customer and/or any security provider for the unpaid amount where appropriate; and

refer the unpaid amount to a third party collection agency.

(f) The full purchase price for the Goods will become immediately due and payable if the Customer, takes or has taken or instituted against it any action or proceeding whether voluntary or compulsory which has object or may result in the bankruptcy or winding up of the Customer (other than a voluntary winding up for the purposes of amalgamation or reconstruction) or is placed under official management or a receiver, receiver and manager or administrator is appointed over the whole or any part of its undertaking or the Customer is unable to pay its debts if and when they fall due.

(g) The Company may recover from the Customer interest on any unpaid amounts at a rate of 10% of the balance overdue.

CONDITIONS OF SALE (CONT)

6. Returns

Products will be accepted from the Customer for credit only by prior written agreement

with the Company, or to the extent that they have been wrongly or over supplied.

(a) Subject to clause 6(b) ,the Customer may return Goods to the Company and obtain a credit in relation to those Goods provided that:

(i) the Customer obtains a Product Return Authorisation from the Company and includes a copy of the Product Return Authorisation with the return; and

(ii) the Customers provides the invoice numbers and the reasons for the return of the Goods.

(b) Subject to any contrary right the Customer may have at law:

(i) the Company will not provide credit for the return of any Goods made to order or any Goods sought to be returned more than 45 days after their Delivery Date;

(ii) the Company will charge a restocking fee as follows for goods being returned within 45 days of the delivery date for either 'Not required' or 'Incorrect Order'. The restocking fee is as follows: Goods returned with 30 days of delivery date – Restocking fee is 15% of the total value of the goods. Goods returned between 30 and 45 days after the delivery date – Restocking fee is 25% of the value of the Goods

(iii) the cost of returning any Goods will be borne by the Customer.

(c) If the Customer returns Goods in accordance with this clause 6, title and risk in the relation to those returned Goods will revert to the Company at the time the Goods are received by the Company.

7. Title and Insurance

(a) Title to Goods remains in the Company until:

(i) The full purchase price and all other sums payable by the Customer to the Company in respect of the Goods are paid; or

(ii) The Customer sells or disposes of the Goods to its customers in the ordinary cause of business.

(b) While title to the Goods remains in the Company, the Customer will have no ownership or rights in the Goods and will, while possesses of the same, hold only as a mere bailee for the Company.

(c) Until the full purchase price and all other sums payable by the Customer to the Company in respect of the Goods are paid the Customer will store the Goods separately so that they are clearly identifiable and will label the Goods in a way which clearly manifests the Company's title (and will not transform the Goods or incorporate the Goods into other products).

(d) Notwithstanding anything in this clause, the Customer may sell or dispose of the Goods to its customers in the ordinary course of business in which case the Customer will:

(i) hold the proceeds of sale for the Company and will not mix any of the proceeds of sale with its own money; and

(ii) ensure that all receipts are kept separate and identifiable; and

(iii) where requested by the Company assign to the Customer the benefit of any claim against a third party.

(e) If the Customer fails to pay the full purchase price for the Goods by the due date and the Goods are in the Customer's possession or control, the Company or its representative may, with reasonable notice, enter the Customer's premises or any premises where the Company reasonably believes the Goods are kept and remove the Goods provided that to do so is reasonable in all the circumstances .

(f) The Customer at its own expense must insure Goods on and from the Delivery Date.

8 Warranties

(a) Subject to clause 8(d), we accept liability arising from our breach of contract or negligence:

(i) for any personal injury or death to you, your employees, agents and contractors in relation to the supply of the Goods;

(ii) for any damage to your real or tangible property resulting from the supply of the Goods, but we limit our liability to our choice of repairing or replacing the property or paying the cost of repairing or replacing it; and

(iii) for any other cost or expense you reasonably incur that is a direct result of, and flows naturally from, such breach or negligence (but excludes loss of profits, likely savings and data), but we limit our liability for all such claims in aggregate to the value of the goods supplied.

(b) Other than 8(a), we exclude all other liability whether to you or a third party for breach of contract, negligence or breach of any other law. For any liability which cannot lawfully be excluded, our liability is limited to resupplying or paying the cost of resupplying services and repairing, replacing or paying the cost of repairing or replacing goods.

(c) Notwithstanding anything else in this clause 8, our liability will be reduced to the extent the loss or damage is caused by you, your employees, agents or contractors.

(d) We will not be responsible for any loss or damage arising from circumstances outside our reasonable control.

(e) The terms that apply to the supply of Goods by us to you are those that are set out expressly in these conditions of sale and the pricing list, and those implied by fair trading laws to the supply of the Goods that cannot be excluded. No other terms apply.

9. General

(a) Special conditions stated in a Customer's order form are not considered binding on the Company unless the Company agreed to such special conditions in writing.

(b) These conditions of sale are governed by the law of Victoria and the Customer agrees to submit to the jurisdiction of Victorian courts and tribunals.

(c) The Customer acknowledges that the minimum amount of any order is $100.00 unless the Company otherwise agrees in writing.

SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

ORIGINAL PARTS

SAF 's history begins in 1881 in a village forge in Germany with the invention of a new plough. The family business soon starts building steel axles for agricultural vehicles, and under the name Otto Sauer Achsenfabrik (SAF) develops into one of the leading manufacturers of trailer axles and suspension systems in Europe.

A safety coupling between plough and horse team can be found at the beginning of Holland's history. The Safety Release Clevis Company was founded in South Dakota, USA , in 1910. After its move to Holland, Michigan, the company emerges as one of the largest supplier companies to the commercial vehicles industry under the name The Holland Hitch Company.


The merger of the two companies to form SAF-HOLLAND in 2006 creates one of the leading global suppliers of high-quality components and services for the commercial vehicle industry. Alongside axle and suspension systems for trailers and semi-trailers, the product range also includes kingpins and landing gear as well as fifth wheels for tractors, air suspensions, coupling products and numerous other components for buses and trucks.

Today SAF -HOLLAND is represented on all continents and distributes its products and services worldwide under the brand names SAF and HOLLAND. It can boast of an extensive distribution network with global service and dealer locations.


SH-02 RevE 0914 Amendments and errors reserved. © SAF-HOLLAND (Aust.) Pty. Ltd.

HIGH QUALITY COMPONENTS FOR THE COMMERCIAL VEHICLE INDUSTRY

AXLES & SUSPENSION SYSTEMS




LANDING GEAR




KINGPINS



FIFTH WHEELS



COUPLING PRODUCTS



EUROPE · NORTH AMERICA · SOUTH AMERICA · AFRICA · ASIA · AUSTRALIA

SAF-HOLLAND (Aust.) Pty. Ltd. · PO Box 63 · 115 High St · Melton Vic 3337
Tel: (03) 9971 7900 Fax: (03) 9743 6763
NATIONAL LINE- 1300 131 613

Western Australia ·	Tel: (08) 9353 1720	Fax: (08) 9353 6144
Queensland ·	Tel: (07) 3375 7033	Fax: (07) 3375 7044
New South Wales ·	Tel: (02) 9672 1950	Fax: (02) 9672 1994
South Australia ·	Tel: (08) 8346 7035	Fax: (08) 8346 3583

www.safholland.com.au

Engineering Your Road to Success